

MICRO-ADJUST BULLET SEATERS - SINCLAIR INTERNATIONAL

22-250 REMINGTON BULLET SEATING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

We gathered our customers ideas and reloading experience with hand dies, and partnered with the experts who make them, to introduce the new Sinclair/L.E. Wilson Micro-Adjust Bullet Seater. It features easy-adjust seating depth capabilities with a simple turn of the die body. Sinclair/L.E. Wilson Micro-Adjust Bullet Seaters are detent-bearing driven with positive “click” increments of .0005” for fast, accurate bullet seating depth adjustments. Here are the details of construction: Each seater stem is custom fitted to the seater body ensuring close tolerance fit Precision-cut threads allow bullet seating depth adjustment in .0005” increments Graduated scale for repeated use with different bullets and seating depths Micro-Adjust “clicks” via stainless springs and stainless ball bearings Constructed of 416 Stainless Steel with precise, laser-etched adjustment scale Made in the USA by L.E. Wilson with 85 years of inline die experience We feel these dies are the finest available in terms of quality, construction, and performance.



We gathered our customers ideas and reloading experience with hand dies, and partnered with the experts who make them, to introduce the new Sinclair/L.E. Wilson Micro-Adjust Bullet Seater. It features easy-adjust seating depth capabilities with a simple turn of the die body. Sinclair/L.E. Wilson Micro-Adjust Bullet Seaters are detent-bearing driven with positive “click” increments of .0005” for fast, accurate bullet seating depth adjustments. Here are the details of construction: Each seater stem is custom fitted to the seater body ensuring close tolerance fit Precision-cut threads allow bullet seating depth adjustment in .0005” increments Graduated scale for repeated use with different bullets and seating depths Micro-Adjust “clicks” via stainless springs and stainless ball bearings Constructed of 416 Stainless Steel with precise, laser-etched adjustment scale Made in the USA by L.E. Wilson with 85 years of inline die experience We feel these dies are the finest available in terms of quality, construction, and performance. Available in 12 popular cartridge offerings.

Attributes

- Name: [SINCLAIR INTERNATIONAL 22-250 REMINGTON BULLET SEATING DIE](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749014514
- Mfr. No.: SIN-2225
- Cartridge: 22-250 Remington
- Die Style: Bullet Seating Dies
- Delivery weight: 0.091kg
- Shipping height: 41mm
- Shipping width: 46mm
- Shipping length: 147mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MICROADJUST BULLET SEATERS](#)
- [About Us](#)

Safety Instruction Guide for MICROADJUST BULLET SEATERS

Introduction

Thank you for choosing the MICROADJUST BULLET SEATERS from Sinclair International. This product is designed for precision bullet seating in reloading applications. To ensure safe and effective use, please read this safety instruction guide carefully. It contains important information regarding safety guidelines, precautions, installation, usage, and disposal.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Ensure that the product is stored in a safe and secure location, away from children and vulnerable individuals.
- Regularly inspect the product for any signs of damage or wear before use.
- If the product is damaged or malfunctioning, discontinue use immediately and seek assistance.
- Familiarize yourself with the features and functions of the product to avoid misuse.
- Report any unsafe products and accidents to the appropriate authorities.
- Stay updated on recall notices through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use only the recommended cartridges specified for this bullet seating die (22250 Remington).
- Always wear appropriate safety gear, such as safety glasses and gloves, when handling reloading equipment.
- Ensure the workspace is clean and free from obstructions while using the die.
- Do not exceed the recommended bullet seating depth adjustments to prevent potential safety hazards.
- Keep hands and other body parts clear of moving parts during operation.
- Ensure that the die is securely attached to the reloading press before use.
- Avoid distractions while using the product to maintain focus and safety.

Instructions for Installation and Usage

1. Installation:

- Ensure the reloading press is turned off and unplugged before installation.
- Remove any existing die from the press.
- Carefully insert the MICROADJUST BULLET SEATER into the press, ensuring it is properly aligned.
- Secure the die in place according to the press manufacturer's instructions.

2. Usage:

- Adjust the seating depth by turning the die body according to your desired measurement.
- Use the graduated scale for repeated adjustments with different bullets.
- After each adjustment, perform a test seating with a dummy round to verify the seating depth.
- Make incremental adjustments of .0005" as needed for precise bullet seating.
- Always follow the reloading manual's guidelines for bullet and powder specifications.

Disposal Instructions

- Dispose of any unused or damaged product responsibly.
- Follow local regulations for the disposal of metal and plastic components.

- Consider recycling materials where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries or support regarding the MICROADJUST BULLET SEATERS, please contact the manufacturer directly. They can provide further assistance and information related to product safety and usage.

Thank you for your attention to these safety instructions. Enjoy your reloading experience with the precision and quality of the MICROADJUST BULLET SEATERS from Sinclair International.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk