

FLASH HOLE DEBURRING TOOLS - RCBS FLASH HOLE DEBURRING TOOL W/.22 CAL PILOT

[Reloading](#) > [Case Preparation](#) > [Flash Hole Deburring Tools](#)

Burrs left on the inside of the flash hole during manufacturing can cause erratic ignition. This handy tool automatically locates the hole and quickly removes the burr. A self-centering pilot collar with an adjustable stop allows quick alignment and prevents the removal of too much brass.



Attributes

- Name: [RCBS FLASH HOLE DEBURRING TOOL W/.22 CAL PILOT](#)
- Manufacturer: [RCBS](#)
- Product no.: 749015622
- Mfr. No.: 88145
- Caliber: 22 Caliber
- Delivery weight: 0.374kg
- Shipping height: 32mm
- Shipping width: 64mm
- Shipping length: 178mm
- UPC: 076683881458

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [FLASH HOLE DEBURRING TOOL Safety Instruction Guide](#)
- [About Us](#)

FLASH HOLE DEBURRING TOOL Safety Instruction Guide

Introduction

Thank you for choosing the RCBS Flash Hole Deburring Tool with .22 Cal Pilot. This tool is designed to help you remove burrs from the inside of flash holes, ensuring reliable ignition during reloading. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always use the tool in accordance with the instructions provided in this guide.
- Ensure that the tool is kept out of reach of children and vulnerable individuals.
- Regularly inspect the tool for any signs of wear or damage before use.
- If you notice any defects or if the tool is not functioning correctly, do not use it and contact the manufacturer for assistance.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses, to protect your eyes from debris.
- Use the tool in a welllit area to ensure visibility while working.
- Keep your hands away from the cutting area when using the tool.
- Do not apply excessive force while using the tool; let the tool do the work.
- Ensure that the tool is securely positioned before starting the deburring process.
- Store the tool in a safe and dry place when not in use.

Instructions for Installation and Usage

Installation

1. **Select the pilot:** Ensure you are using the correct .22 cal pilot for your needs.
2. **Attach the pilot:** Insert the pilot into the selfcentering pilot collar.
3. **Adjust the stop:** Set the adjustable stop to control the depth of the deburring.

Usage

1. **Locate the flash hole:** Position the tool over the flash hole you wish to deburr.
2. **Align the tool:** Use the selfcentering pilot collar to ensure proper alignment with the hole.
3. **Deburr the hole:** Gently twist the tool to remove any burrs. Avoid applying excessive pressure.
4. **Check the results:** Inspect the hole to ensure that all burrs have been removed.
5. **Clean the tool:** After use, clean the tool to maintain its performance.

Disposal Instructions

- Dispose of the tool in accordance with local regulations regarding metal and tool disposal.
- If the tool is damaged beyond repair, consider recycling the materials where possible.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact information provided with the product.

Thank you for prioritizing safety while using the RCBS Flash Hole Deburring Tool. Your attention to these guidelines helps ensure a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk