

MICROMETER SEATER DIES - WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

For precise, consistent OAL handloads, the internals of the Whidden Seater Die are designed to keep your rounds Round. Inside the die is a floating sleeve system helps to improve concentricity - a must for repeatable precision. The Micrometer Adjustable Seating Die has flutes for precise hand adjustment at the loading bench. The depth increments are easily read and will stay that way for years of use.



Attributes

- Name: [WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE](#)
- Manufacturer: [WHIDDEN GUNWORKS](#)
- Product no.: 749016228
- Mfr. No.: MSD-S-0-000260-000
- Cartridge: 260 Remington
- Die Style: Seater Die
- Delivery weight: 0.425kg

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for MICROMETER SEATER DIES WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE
- About Us

Safety Instruction Guide for MICROMETER SEATER DIES WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE

Introduction

Thank you for choosing the MICROMETER SEATER DIES WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this manual carefully before use.

General Safety Guidelines

- Ensure that all users are familiar with the safe handling and operation of reloading equipment.
- Always wear appropriate safety gear, including safety glasses and gloves, when using this product.
- Keep the workspace clean and organized to prevent accidents.
- Store the die in a dry, secure location away from children and unauthorized users.
- Regularly inspect the die for any signs of wear or damage before use.
- Follow all local laws and regulations regarding ammunition reloading.

Specific Safety Precautions for Use

- Be aware of the potential hazards associated with reloading ammunition, including the risk of explosion and injury from improper handling.
- Always use the die in accordance with the manufacturer's instructions.
- Avoid overtightening the die, as this may cause damage or affect performance.
- Ensure that the floating sleeve system is properly adjusted before use to maintain concentricity.
- Do not use the die with incompatible cartridges or materials.
- If you experience any issues during use, cease operation immediately and consult a qualified professional.

Instructions for Installation and Usage

1. Installation:

- Carefully remove the die from its packaging.
- Inspect the die for any visible damage.
- Install the die into the reloading press, ensuring it is securely fastened.
- Adjust the micrometer setting to the desired depth according to your specifications.

2. Usage:

- Prepare your cases and ensure they are clean and free of debris.
- Insert a bullet into the case, aligning it with the die.
- Pull the handle of the reloading press to seat the bullet.
- Check the overall length (OAL) of the loaded round to ensure it meets your specifications.
- Repeat the process for additional rounds, making adjustments as necessary.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of ammunition or reloading materials in regular household waste.
- Contact your local waste management authority for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MICROMETER SEATER DIES WHIDDEN GUNWORKS 260 REMINGTON BULLET SEATER DIE, please refer to the manufacturer's website or customer service resources for assistance.

Please ensure that you follow these safety instructions to maintain a safe and effective reloading environment. Your adherence to these guidelines will help ensure your safety and the safety of those around you.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk