

BUSHING FULL LENGTH DIES - L.E. WILSON 308 WINCHESTER

BUSHING FULL LENGTH SIZING DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Wilson Bushing Type Full Length Sizing Die. This die will allow you to size the case neck to your desired neck tension along with sizing down the rest of the case body at the same time. Die includes an adjustable depth decapping rod. An extra Decapping Punch is included. These dies do not contain an expander. Made of High Quality Heat Treated Steel. These Full Length Bushing dies mimic the neck sizing of Wilsons' neck sizing dies and are designed to leave 3/16" at the bottom of the case neck unsized, a practice many shooters prefer and find to be more accurate than sizing the full neck. Made from High Quality Material - Hardened to L.E. Wilson Specifications Harder than a Grade 8 Bolt Interchangeable Bushings Standard 7/8ths Reloading Press Sizes Shoulder and Body Dimensions Stainless Parts for a Long Lasting Finish Durable and Accurate L.E. Wilson manufactured lock nut - thickness is .225" from inside to outermost edge .270" for height and 1.250" total width OD. Neck Bushing sold separately, we suggest using LE Wilson Neck bushings but Redding bushings will also fit.



Attributes

- Name: [L.E. WILSON 308 WINCHESTER BUSHING FULL LENGTH SIZING DIE](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749016624
- Mfr. No.: FLD-308W
- Cartridge: 308 Winchester
- Die Style: Full Length Sizing Dies
- Delivery weight: 0.277kg
- Shipping height: 51mm
- Shipping width: 51mm
- Shipping length: 152mm
- UPC: 815145026026

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for BUSHING FULL LENGTH DIES L.E. WILSON 308 WINCHESTER
- About Us

Safety Instruction Guide for BUSHING FULL LENGTH DIES L.E. WILSON 308 WINCHESTER

Introduction

Thank you for choosing the BUSHING FULL LENGTH DIES L.E. WILSON 308 WINCHESTER. This product is designed for reloading ammunition and is intended for experienced users. Please read this safety instruction guide carefully to ensure safe handling, installation, and usage of the product.

General Safety Guidelines

- Always follow manufacturer instructions when using reloading equipment.
- Ensure that the workspace is clean, organized, and free from distractions.
- Store all reloading components, including dies, in a secure location out of reach of children and pets.
- Use personal protective equipment (PPE), such as safety glasses and gloves, when handling reloading materials.
- Familiarize yourself with the specific hazards associated with reloading, including the handling of gunpowder and primers.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Avoid using the die if it appears damaged or worn.
- Ensure that the die is compatible with the specific cartridge before use.
- Do not exceed the recommended load specifications for the cartridge being reloaded.
- Be cautious of the neck tension when adjusting the die to avoid excessive sizing.
- Keep the work area wellventilated to minimize inhalation of dust or fumes.
- Always doublecheck the settings before beginning the reloading process.

Instructions for Installation and Usage

Installation

1. Prepare the Reloading Press:

- Ensure the reloading press is securely mounted and stable.
- Clean the area around the press to prevent contamination.

2. Install the Die:

- Remove any previous dies from the press.
- Insert the BUSHING FULL LENGTH DIE into the press, ensuring it is tightly secured.
- Adjust the die height according to the manufacturer's specifications.

3. Adjust the Decapping Rod:

- Set the adjustable depth decapping rod to the desired length.
- Ensure it is securely tightened to prevent movement during use.

Usage

1. Prepare the Cases:

- Inspect cases for damage or wear before reloading.
- Clean the cases to remove any debris or residue.

2. **Size the Cases:**

- Insert the case into the die and operate the press to size the case neck and body.
- Monitor the neck tension to ensure it meets your specifications.

3. **Decap the Cases:**

- The adjustable decapping rod will remove the spent primer during the sizing process.
- Ensure the decapping punch is functioning correctly.

4. **Check the Finished Product:**

- Inspect the resized cases for consistency and quality.
- Store the finished cases in a safe location until ready for loading.

Disposal Instructions

- Dispose of any damaged or unusable dies according to local regulations.
- Recycle packaging materials where possible.
- Ensure that any hazardous materials, such as spent primers or gunpowder, are disposed of in accordance with local environmental regulations.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please contact the manufacturer directly. Ensure that you have the product information available for reference.

By following these safety guidelines and instructions, you can ensure a safe and effective reloading experience with the BUSHING FULL LENGTH DIES L.E. WILSON 308 WINCHESTER. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk