

MATCHKING 6MM (0.243") HOLLOW POINT BOAT TAIL BULLETS - SIERRA BULLETS 6MM (.243) 110GR HPBT MATCHKING 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

For serious rifle competition, you'll be in championship company with MatchKing® bullets. The hollow point boat tail design provides that extra margin of ballistic performance match shooters need to fire at long ranges under adverse conditions.



Attributes

- Name: [SIERRA BULLETS 6MM \(.243 \) 110GR HPBT MATCHKING 100/BOX](#)
- Manufacturer: [SIERRA BULLETS](#)
- Product no.: 749017050
- Mfr. No.: 1575
- Ballistic Coefficient (G1): -
- Brand Style: MatchKing
- Bullet Style: Boat Tail Hollow Point (BTHP)
- Caliber: 6mm,243 Caliber
- Diameter (Breech): -
- Diameter (in): 0.243
- Grain: 110
- Sectional Density: -
- Quantity: 100
- Delivery weight: 0.748kg
- Shipping height: 38mm
- Shipping width: 64mm
- Shipping length: 89mm
- UPC: 092763015759

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for MATCHKING 6MM \(0.243"\) Hollow Point Boat Tail Bullets](#)
- [About Us](#)

Safety Instruction Guide for MATCHKING 6MM (0.243") Hollow Point Boat Tail Bullets

Introduction

Thank you for choosing MATCHKING 6MM (0.243") Hollow Point Boat Tail Bullets from SIERRA BULLETS. This guide provides important safety information and instructions to ensure safe usage of this product. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding the use of ammunition and firearms.
- Always treat all ammunition as if it is live and capable of firing.
- Store ammunition in a cool, dry place away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized individuals.
- Regularly check for recall updates on the EU's Safety Gate platform.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only in firearms that are designed for the specified caliber (6mm / .243").
- Always wear appropriate eye and ear protection when using firearms.
- Ensure that your firearm is in good working condition and properly maintained.
- Do not use damaged or corroded ammunition.
- Follow all instructions provided by the firearm manufacturer regarding ammunition usage.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Preparation

- Confirm that you have the correct caliber and type of ammunition.
- Inspect the bullets for any visible damage or defects.

2. Loading Ammunition

- Open the ammunition box carefully to avoid damaging the bullets.
- Load the bullets into the magazine or chamber of your firearm according to the firearm manufacturer's instructions.

3. Firing

- Ensure that the firearm is pointed in a safe direction before firing.
- Follow the safety procedures outlined by the firearm manufacturer.
- Fire only when you are ready and in a safe environment.

4. PostFiring

- After firing, ensure that the firearm is unloaded before handling or storing.
- Dispose of any misfires or damaged cartridges according to local regulations.

Disposal Instructions

- Dispose of spent cartridges and packaging in accordance with local waste disposal regulations.
- Do not dispose of ammunition in regular household waste.
- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding safety or product usage, please contact the manufacturer or your local retailer for assistance.

Thank you for prioritizing safety and responsible usage of MATCHKING 6MM (0.243") Hollow Point Boat Tail Bullets. Your attention to these guidelines helps ensure a safe experience for all users.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk