

# **BUSHING FULL LENGTH DIES - L.E. WILSON 6.5X55MM SWEDE BUSHING FULL LENGTH SIZING DIE**

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Wilson Bushing Type Full Length Sizing Die. This die will allow you to size the case neck to your desired neck tension along with sizing down the rest of the case body at the same time. Die includes an adjustable depth decapping rod. An extra Decapping Punch is included. These dies do not contain an expander. Made of High Quality Heat Treated Steel. These Full Length Bushing dies mimic the neck sizing of Wilsons' neck sizing dies and are designed to leave 3/16" at the bottom of the case neck unsized, a practice many shooters prefer and find to be more accurate than sizing the full neck. Made from High Quality Material - Hardened to L.E. Wilson Specifications Harder than a Grade 8 Bolt Interchangeable Bushings Standard 7/8ths Reloading Press Sizes Shoulder and Body Dimensions Stainless Parts for a Long Lasting Finish Durable and Accurate L.E. Wilson manufactured lock nut - thickness is .225" from inside to outermost edge .270" for height and 1.250" total width OD. Neck Bushing sold separately, we suggest using LE Wilson Neck bushings but Redding bushings will also fit.



## **Attributes**

- Name: [L.E. WILSON 6.5X55MM SWEDE BUSHING FULL LENGTH SIZING DIE](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749017493
- Mfr. No.: FLD-6555
- Cartridge: 6.5 x 55 mm Swedish Mauser
- Die Style: -
- Delivery weight: 0.431kg
- Shipping height: 38mm
- Shipping width: 46mm
- Shipping length: 147mm
- UPC: 815145026132

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instructions for Bushing Full Length Dies L.E. Wilson 6.5x55mm Swede
- About Us

# Safety Instructions for Bushing Full Length Dies

## L.E. Wilson 6.5x55mm Swede

### Introduction

Thank you for choosing the Bushing Full Length Dies L.E. Wilson 6.5x55mm Swede. This product is designed for precision reloading and should be used with care to ensure safety and optimal performance. Please read this safety instruction guide thoroughly before using the product.

### General Safety Guidelines

- Always ensure that the workspace is clean and free of any obstructions before starting the reloading process.
- Use personal protective equipment (PPE), such as safety glasses and gloves, to protect yourself from potential hazards.
- Keep the dies and other reloading components out of reach of children and pets to prevent accidental injury or ingestion.
- Inspect the dies for any signs of damage or wear before each use. Do not use damaged equipment.
- Follow all local laws and regulations regarding the handling and use of reloading equipment and ammunition.

### Specific Safety Precautions for Use

- Ensure that the die is securely mounted to your reloading press before use.
- Adjust the bushing only when the die is not in use to prevent accidental adjustments.
- Do not exceed recommended load specifications for the cartridges you are reloading.
- Be aware of the potential for lead exposure when handling ammunition components; wash hands thoroughly after use.
- Avoid using the dies for any purpose other than for which they are intended to prevent misuse and accidents.

### Instructions for Installation and Usage

#### 1. Setup:

- Securely mount the Bushing Full Length Die onto your standard 7/8ths reloading press.
- Ensure that the adjustable depth decapping rod is properly set before beginning the reloading process.

#### 2. Adjusting the Die:

- To adjust the neck tension, carefully change the bushing as needed. Ensure that the die is not under load during adjustments.
- Use only L.E. Wilson or compatible bushings to ensure proper fit and functionality.

#### 3. Reloading Process:

- Insert the cartridge case into the die and ensure it is seated properly.
- Operate the press to resize the case neck and body simultaneously.
- After resizing, check the case dimensions to ensure they are within specifications.

#### 4. Decapping:

- The adjustable depth decapping rod allows for the removal of spent primers. Ensure that the rod is set correctly to prevent damage to the case.
- Replace the decapping punch if it becomes worn or damaged.

#### **5. PostUse Care:**

- Clean the dies after each use to prevent residue buildup.
- Store the dies in a dry and safe location, away from moisture and extreme temperatures.

## **Disposal Instructions**

- Dispose of any damaged or worn components in accordance with local regulations.
- Do not throw away the dies or any reloading components in regular household waste. Check for recycling options in your area.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the Bushing Full Length Dies L.E. Wilson 6.5x55mm Swede, please refer to the manufacturer's website or contact customer support directly.

By following these safety instructions, you can ensure a safe and effective reloading experience with your Bushing Full Length Dies. Always prioritize safety and compliance with local regulations while enjoying your reloading activities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)