

RDF 6.5MM (0.264") HPBT RIFLE BULLETS - NOSLER RDF 6.5MM (0.264") HOLLOW POINT BOAT TAIL 140GR 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

NOSLER REDUCED DRAG FACTOR (RDF) 6.5MM (0.264") HOLLOW POINT BOAT TAIL RIFLE BULLETS Creating the flattest trajectory and least wind drift possible is Nosler's RDF bullet which was designed from the ground up to provide exceptionally high ballistic coefficients. The key attributes to the RDF's outstanding performance are Nosler's meticulously optimized compound ogive and long, drag reducing boat-tail, which make hand loading a snap and create an incredibly sleek form factor. RDF bullets also feature the smallest, most consistent meplats of any hollow point match bullet line, saving you time from having to point or trim tips. FEATURES: Hollow Point Boat Tail. Compound Ogive is insensitive to seating depth. Very small meplat. Ultra-High BC for flatter trajectory and reduced wind drift.



Attributes

- Name: [NOSLER RDF 6.5MM \(0.264"\) HOLLOW POINT BOAT TAIL 140GR 100/BOX](#)
- Manufacturer: [NOSLER](#)
- Product no.: 749017554
- Mfr. No.: 49824
- Ballistic Coefficient (G1): 0.658
- Ballistic Coefficient (G7): 0.330
- Brand Style: Reduced Drag Factor
- Bullet Style: Hollow Point Boat Tail (HPBT)
- Caliber: 6.5mm,264 Caliber
- Diameter (in): 0.264
- Grain: 140
- Sectional Density: 0.287
- Quantity: 100
- Delivery weight: 0.975kg
- Shipping height: 51mm
- Shipping width: 76mm
- Shipping length: 102mm
- UPC: 054041498241

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for Nosler RDF 6.5MM 140GR Reduced Drag Factor Bullets
- About Us

Safety Instruction Guide for Nosler RDF 6.5MM 140GR Reduced Drag Factor Bullets

Introduction

Thank you for choosing Nosler RDF 6.5MM 140GR Reduced Drag Factor Bullets. This guide provides essential safety instructions to ensure the safe use of this product. It is important to follow these guidelines to avoid hazards and ensure optimal performance.

General Safety Guidelines

- Ensure that you are familiar with your firearm and follow all manufacturer guidelines for use.
- Store bullets in a cool, dry place away from direct sunlight and moisture.
- Keep out of reach of children and unauthorized users.
- Always handle bullets with care; avoid dropping or damaging them.
- Use only in firearms that are designed for 6.5MM ammunition.
- Regularly check for any signs of damage or wear on the bullets before use.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when handling or shooting.
- Do not exceed the recommended load data for your firearm as specified by the manufacturer.
- Ensure the firearm is pointed in a safe direction at all times during loading and unloading.
- Do not use damaged or corroded bullets.
- If a bullet fails to fire, wait at least 30 seconds before attempting to remove it from the chamber.
- Avoid using bullets in wet or damp conditions to prevent corrosion.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your firearm is clean and in good working condition.
- Gather all necessary equipment, including reloading tools and safety gear.

2. Loading the Bullets:

- Follow the reloading manual for your specific firearm to determine the correct powder charge and seating depth.
- Carefully seat the Nosler RDF bullets into the cartridge case, ensuring they are properly aligned.

3. Firing the Bullets:

- Load the cartridges into the magazine or chamber of your firearm.
- Ensure that the firearm is properly secured and pointed downrange.
- Follow standard shooting practices and maintain control of your firearm at all times.

4. Post Firing:

- After use, clean your firearm according to the manufacturer's instructions.
- Inspect any remaining bullets for damage before storing them.

Disposal Instructions

- Dispose of any unused or damaged bullets in accordance with local regulations.
- Do not throw bullets in regular trash; check with local waste management for proper disposal methods.
- Ensure that all spent cartridges are disposed of safely and responsibly.

Contact Information for Further Support

For any safety inquiries or concerns regarding Nosler RDF 6.5MM 140GR Reduced Drag Factor Bullets, please reach out to the manufacturer or your point of purchase.

Conclusion

Following these safety instructions will help ensure a safe and enjoyable experience with your Nosler RDF 6.5MM 140GR Reduced Drag Factor Bullets. Always prioritize safety and consult with professionals if you have any questions or concerns. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk