

BUSHING FULL LENGTH DIES - L.E. WILSON 25-06 REMINGTON

BUSHING FULL LENGTH DIE

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Wilson Bushing Type Full Length Sizing Die. This die will allow you to size the case neck to your desired neck tension along with sizing down the rest of the case body at the same time. Die includes an adjustable depth decapping rod. An extra Decapping Punch is included. These dies do not contain an expander. Made of High Quality Heat Treated Steel. These Full Length Bushing dies mimic the neck sizing of Wilsons' neck sizing dies and are designed to leave 3/16" at the bottom of the case neck unsized, a practice many shooters prefer and find to be more accurate than sizing the full neck. Mad from High Quality Material - Hardened to L.E. Wilson Specifications Harder than a Grade 8 Bolt Interchangeable Bushings Standard 7/8ths Reloading Press Sizes Shoulder and Body Dimensions Stainless Parts for a Long Lasting Finish Durable and Accurate L.E. Wilson manufactured lock nut - thickness is .225" from inside to outermost edge .270" for height and 1.250" total width OD. Neck Bushing sold separately, we suggest using LE Wilson Neck bushings but Redding bushings will also fit.



Attributes

- Name: [L.E. WILSON 25-06 REMINGTON BUSHING FULL LENGTH DIE](#)
- Manufacturer: [L.E. WILSON](#)
- Product no.: 749018007
- Mfr. No.: FLD-2506
- Cartridge: 25-06 Remington
- Die Style: Bushing Full Length Die
- Delivery weight: 0.299kg
- Shipping height: 41mm
- Shipping width: 41mm
- Shipping length: 146mm
- UPC: 815145026415

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for BUSHING FULL LENGTH DIES L.E. WILSON 2506 REMINGTON](#)
- [About Us](#)

Safety Instruction Guide for BUSHING FULL LENGTH DIES L.E. WILSON 2506 REMINGTON

Introduction

Thank you for choosing the Bushing Full Length Dies by L.E. Wilson for your reloading needs. This guide provides important safety instructions and guidelines to ensure safe and effective use of this product. Please read this document carefully before using the dies.

General Safety Guidelines

- Ensure that you are familiar with the operation of your reloading press and all associated equipment before using this product.
- Always wear appropriate safety gear, including safety glasses, when reloading ammunition.
- Keep the workspace clean and organized to prevent accidents.
- Store the dies and all reloading components in a secure location, out of reach of children and unauthorized individuals.
- Regularly inspect your equipment for wear and damage before use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Only use this die with the appropriate cartridge, which is 2506 Remington.
- Ensure that the reloading press is securely mounted and stable before beginning the reloading process.
- Do not exceed the recommended load specifications provided by powder manufacturers.
- Handle all components, including primers and powders, with care to avoid accidental ignition.
- Follow the instructions for adjusting the die to achieve the desired neck tension accurately.
- Do not attempt to modify the die or any of its components.
- Keep hands and clothing clear of moving parts during operation.

Instructions for Installation and Usage

1. Installation of the Die:

- Remove the die from its packaging.
- Ensure that the adjustable depth decapping rod is properly secured.
- Install the die into the reloading press by threading it into the press's die holder. Tighten securely.
- Adjust the die's position according to your reloading needs.

2. Using the Die:

- Prepare your brass cases by cleaning and inspecting them for defects.
- Insert a brass case into the shell holder of the reloading press.
- Raise the ram of the press to bring the case into contact with the die.
- Adjust the die to achieve the desired neck tension and size the case body simultaneously.
- Once the case is sized, lower the ram and remove the case.

3. Decapping:

- The die includes an adjustable depth decapping rod. Ensure it is set correctly to remove the primer without damaging the case.
- Follow the same procedure for each case until all are processed.

4. Neck Bushing:

- Neck bushings are sold separately. It is recommended to use L.E. Wilson Neck bushings for best results, although Redding bushings can also fit.

5. Maintenance:

- Clean the die regularly to prevent buildup of residue.
- Store the die in a dry place to avoid rust and corrosion.

Disposal Instructions

- Dispose of any used or damaged components in accordance with local regulations.
- Do not discard reloading materials in regular trash; follow your local hazardous waste disposal guidelines.

Contact Information for Further Support

For any inquiries or further assistance regarding the BUSHING FULL LENGTH DIES L.E. WILSON, please refer to the contact information provided by your retailer or manufacturer. Ensure you have your product details ready for a prompt response.

By adhering to these safety guidelines and instructions, you can ensure a safe and enjoyable reloading experience with your Bushing Full Length Dies. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk