

# **TIN COATED TURNING MANDRELS - SINCLAIR INTERNATIONAL TIN COATED TURNING MANDREL 25 CALIBER (0.255")**

[Reloading](#) > [Case Preparation](#) > [Neck Turning](#) > [Turning & Expander Mandrels](#)

The Sinclair TiN Turning Mandrels are a great option for those who want increased resistance to abrasion over our Stainless Steel Mandrels, but don't feel the need to upgrade to our Carbide Mandrels. The Titanium Nitride coating process adds increased lubricity, reduces wear due to abrasion and increases tool life up to 10 times over our standard steel mandrels. Turning mandrels are made to 0.002" under bullet diameter. Originally designed to be used to align the case during neck turning, these Mandrels can also be used to set neck tension.



## **Attributes**

- Name: [SINCLAIR INTERNATIONAL TIN COATED TURNING MANDREL 25 CALIBER \(0.255"\)](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749019015
- Mfr. No.:
- Caliber: 25 Caliber
- Diameter (in): 0.255
- Delivery weight: 0.023kg
- Shipping height: 13mm
- Shipping width: 13mm
- Shipping length: 64mm

## **Item details**

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for TIN COATED TURNING MANDRELS
- About Us

# Safety Instruction Guide for TIN COATED TURNING MANDRELS

## Introduction

Thank you for choosing the TIN COATED TURNING MANDREL from SINCLAIR INTERNATIONAL. This guide provides essential safety instructions and usage guidelines to ensure your safety and the proper functioning of the product. Please read this guide carefully before use.

## General Safety Guidelines

- Ensure safe use of the product according to the guidelines provided.
- Be aware of potential hazards associated with the product, including risks of injury if misused.
- Always follow the safety instructions to minimize risks.
- Check for recall updates on the EU's Safety Gate platform to stay informed about product safety.

## Specific Safety Precautions for Use

- Always handle the turning mandrel with care to avoid cuts or injuries.
- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, while using the mandrel.
- Ensure the working area is clean and free of distractions.
- Do not use the mandrel for purposes other than its intended use, which is aligning the case during neck turning and setting neck tension.
- Keep the product out of reach of children and vulnerable individuals.

## Instructions for Installation and Usage

### 1. Preparation:

- Inspect the turning mandrel for any visible damage before use.
- Ensure your working area is welllit and organized.

### 2. Installation:

- Insert the turning mandrel into the appropriate tool or machine according to the manufacturer's specifications.
- Ensure it fits securely and is properly aligned.

### 3. Usage:

- Use the mandrel at a speed and pressure that is appropriate for the material being worked on.
- Monitor the mandrel during use for any signs of wear or damage.
- If the mandrel becomes damaged or shows excessive wear, discontinue use immediately.

### 4. PostUse:

- Clean the mandrel after each use to remove debris and prevent corrosion.
- Store the mandrel in a safe, dry place where it will not be damaged or cause injury.

## Disposal Instructions

- Dispose of the turning mandrel in accordance with local regulations for metal waste.

- Do not dispose of the product in regular household waste.
- Consider recycling the product if possible.

## Contact Information for Further Support

- For any safety inquiries or further support, please contact the manufacturer directly. Ensure you have the product details at hand for a more efficient response.

Thank you for your attention to these safety instructions. Your safety is our priority, and we hope you enjoy using your TIN COATED TURNING MANDREL.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)