

SEATER DIES - REDDING SEATER DIE 300 RCM

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Redding Seating Die includes bullet guide, built-in crimp ring and the proper seating plug. All dies are made using the finest alloy steels obtainable and machined on Hardinge Super-Precision lathes capable of holding the tightest tolerances in the industry. Heat treated in atmospherically controlled furnaces and hand polished for smooth, flawless functioning, these dies will maintain tolerances and last a lifetime. Inspected and ultrasonically cleaned before packaging.



Attributes

- Name: [REDDING SEATER DIE 300 RCM](#)
- Manufacturer: [REDDING](#)
- Product no.: 749101782
- Mfr. No.: 92257
- Cartridge: 300 Ruger Compact Magnum
- Die Style: Bullet Seating Dies
- Delivery weight: 0.227kg
- Shipping height: 43mm
- Shipping width: 58mm
- Shipping length: 132mm
- UPC: 611760922572

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SEATER DIES REDDING SEATER DIE 300 RCM
- About Us

Safety Instruction Guide for SEATER DIES REDDING SEATER DIE 300 RCM

Introduction

Thank you for choosing the SEATER DIES REDDING SEATER DIE 300 RCM. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before using the die.

General Safety Guidelines

- Ensure the product is used in accordance with the manufacturer's instructions.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when handling the die.
- Keep the die out of reach of children and unauthorized users.
- Inspect the die for any damage or wear before use. Do not use if damaged.
- Store the die in a dry, secure location when not in use to prevent accidents and unauthorized access.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the die is compatible with the cartridge you are using (300 Ruger Compact Magnum).
- Avoid direct contact with sharp edges and moving parts during operation.
- Do not exceed the recommended load specifications for the die.
- Ensure that the work area is clean and free from clutter to avoid accidents.
- Use the die only for its intended purpose, which is bullet seating.
- Follow all local regulations regarding the handling and use of ammunition components.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading press is securely mounted and stable.
- Insert the Redding Seating Die into the reloading press according to the manufacturer's instructions.
- Tighten the die securely to prevent movement during use.

2. Usage:

- Adjust the seating depth according to your specifications using the builtin crimp ring and seating plug.
- Place the cartridge case in the shell holder of the reloading press.
- Insert the bullet into the cartridge case.
- Activate the reloading press to seat the bullet into the case.
- Check the seating depth with a caliper to ensure accuracy.
- Remove the completed cartridge and store it safely.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of the die in regular household waste. Check for local recycling programs or hazardous waste disposal options.
- Ensure that all packaging materials are disposed of responsibly.

Contact Information for Further Support

For any safety inquiries or further assistance, please contact your local distributor or the manufacturer. Ensure that you have the product details on hand for a more efficient response.

By following these safety instructions, you can ensure a safe and effective experience with the SEATER DIES REDDING SEATER DIE 300 RCM. Thank you for prioritizing safety in your reloading practices.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk