

CHANNEL LINER TOOL for GLOCK® - RIMFIRE GUNWORKS CHANNEL LINER TOOL

[Gunsmith Tools](#) > [Handgun Tools](#) > [Action & Frame Tools](#) > [Firing Pin Tools](#)

Removes & Installs The Liner, Without Slide Damage

The same tool used at the Glock Factory to accurately remove and install the firing pin channel liner. This disposable part, inside the slide, must be removed and a new one installed, when rebluing or refinishing Glock Slides. Easy-to-use tool will not damage or mark the slide. Includes complete instructions, a thread protector, plus one channel liner.



Attributes

- Name: [RIMFIRE GUNWORKS CHANNEL LINER TOOL](#)
- Manufacturer: [RIMFIRE GUNWORKS](#)
- Product no.: 777100017
- Mfr. No.: G-1
- Model: Universal Handguns
- Weapon type: Glock
- Delivery weight: 0.068kg
- Shipping height: 13mm
- Shipping width: 107mm
- Shipping length: 175mm

Item details

Made in USA

Table of Contents

- Startpage
- CHANNEL LINER TOOL for GLOCK® Safety Instruction Guide
- About Us

CHANNEL LINER TOOL for GLOCK® Safety Instruction Guide

Introduction

Thank you for choosing the CHANNEL LINER TOOL for GLOCK® by RIMFIRE GUNWORKS. This tool is designed for the safe and effective removal and installation of the firing pin channel liner in Glock pistols. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the tool is used only for its intended purpose as described in this guide.
- Keep the tool out of reach of children and vulnerable individuals.
- Always inspect the tool for any signs of damage before use. Do not use if damaged.
- Follow all local laws and regulations regarding firearms and tools.
- Report any unsafe product experiences or accidents to relevant authorities.
- Check for recall updates on the EU's Safety Gate platform regularly.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE) such as safety glasses and gloves when using the tool.
- Do not use excessive force when removing or installing the channel liner to avoid damage to the firearm.
- Ensure the firearm is unloaded and in a safe condition before using the tool.
- Avoid using the tool in wet or damp conditions to prevent slipping.
- Do not modify the tool or use it for purposes other than specified in this guide.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather all necessary tools and materials, including the CHANNEL LINER TOOL, a thread protector, and a new channel liner.

2. Removing the Old Channel Liner:

- Insert the CHANNEL LINER TOOL into the firing pin channel of the Glock slide.
- Carefully twist and pull to remove the old channel liner. Avoid applying excessive force.

3. Installing the New Channel Liner:

- Take the new channel liner and align it with the opening in the slide.
- Using the CHANNEL LINER TOOL, gently push the new channel liner into place until it is fully seated.

4. Final Checks:

- Inspect the installation to ensure the channel liner is properly installed and seated.
- Clean any debris or residue from the slide area.

Disposal Instructions

- Dispose of the old channel liner and any other disposable parts in accordance with local waste disposal regulations.
- Do not dispose of the tool in regular household waste. Check with local authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the CHANNEL LINER TOOL for GLOCK®, please refer to the product packaging for further support details. Ensure to keep this guide for future reference.

Thank you for following these safety instructions, and enjoy using your CHANNEL LINER TOOL for GLOCK® responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk