

1 TO 75 INCH POUND VARIABLE TORQUE WRENCH - SEEKONK PRECISION TOOLS 1-75 INCH POUND VARIABLE TORQUE WRENCH

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Wrenches](#) > [General Wrenches](#)

Lets You Achieve Exact, Mil-Spec Tightness; Expert Engineering & Swiss Dials Guarantee Accuracy

Chrome-plated, high-alloy steel, variable-dial torque wrench lets you see the exact amount of inch pounds you're applying. Large dial, with contrasting, black numerals on a white background, is easy to read; includes one-inch-pound graduations from 1 to 75. Heat-treated, molybdenum, fish-scaled handle lets you get a good grip so you can control the amount of torque you're applying. Encased in an impact-resistant polycarbonate box. Requires $\frac{1}{4}$ " socket-drive conversion for use on screws.



Attributes

- Name: [SEEKONK PRECISION TOOLS 1-75 INCH POUND VARIABLE TORQUE WRENCH](#)
- Manufacturer: [SEEKONK PRECISION TOOLS](#)
- Product no.: 792000001
- Mfr. No.: TSQ75-WC
- Style: Torque Wrenches
- Delivery weight: 0.567kg
- Shipping height: 58mm
- Shipping width: 89mm
- Shipping length: 310mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1 TO 75 INCH POUND VARIABLE TORQUE WRENCH
- About Us

Safety Instruction Guide for 1 TO 75 INCH POUND VARIABLE TORQUE WRENCH

Introduction

Thank you for choosing the 1 TO 75 INCH POUND VARIABLE TORQUE WRENCH by SEEKONK PRECISION TOOLS. This guide provides important safety instructions and guidelines to ensure the safe and effective use of your torque wrench. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure the wrench is used only for its intended purpose, which is to apply torque to fasteners.
- Always inspect the torque wrench before use to ensure it is in good working condition.
- Keep the tool out of reach of children and unauthorized users.
- Do not exceed the maximum torque rating of 75 inchpounds.
- Use the wrench in a welllit area to avoid accidents and ensure proper readings.
- Be aware of your surroundings and ensure that no one is in the path of the tool while in use.
- Follow all local regulations and guidelines regarding the use of tools.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using the torque wrench.
- Do not use the wrench if it is damaged or malfunctioning. Contact a professional for repairs.
- Avoid using the wrench in wet or damp conditions to prevent slipping and accidents.
- Use the wrench only on compatible fasteners. Do not use on stripped or damaged screws.
- Ensure a secure grip on the handle to maintain control while applying torque.
- When adjusting the torque setting, do so carefully to avoid sudden changes that may lead to injury.
- If using the wrench for extended periods, take regular breaks to prevent fatigue.

Instructions for Installation and Usage

1. Setting Up the Torque Wrench:

- Ensure the wrench is in the "off" position.
- Adjust the dial to the desired torque setting (between 1 and 75 inchpounds).
- Make sure the setting is secure before use.

2. Using the Torque Wrench:

- Attach a suitable $\frac{1}{4}$ " socket to the drive end of the wrench.
- Place the socket onto the fastener you wish to tighten.
- Apply steady pressure to the handle while keeping your hand clear of the fastener.
- Listen for the click sound indicating that the desired torque has been reached.
- Do not continue to apply pressure after hearing the click.

3. PostUse Care:

- Return the torque setting to its lowest setting after use to maintain calibration.
- Clean the wrench with a dry cloth to remove any dirt or grease.
- Store the wrench in its impactresistant polycarbonate box to protect it from damage.

Disposal Instructions

- Dispose of the torque wrench in accordance with local regulations.
- Do not dispose of the wrench in regular household waste if it is damaged or contains hazardous materials.
- Consider recycling the tool if possible, or take it to a designated recycling facility.

Contact Information for Further Support

For any safety inquiries or support regarding the 1 TO 75 INCH POUND VARIABLE TORQUE WRENCH, please refer to the manufacturer's contact information provided with your product packaging.

Conclusion

Following these safety instructions will help ensure a safe and effective experience with your torque wrench. Always prioritize safety and refer to these guidelines whenever using the tool. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk