

REMINGTON 700/40X/XP-100 ADJUSTABLE TRIGGERS - STD REM 700/40X/XP-100 TRIGGER, SS

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

Match Grade Triggers For Optimal Accuracy

Precision, match grade triggers are fully adjustable for sear engagement, overtravel, and weight-of-pull to help ensure a crisp, light trigger pull and the best possible accuracy from your rifle or silhouette pistol. Allen head setscrews allow precise adjustments; hex nuts lock the screws in place and hold tight even under heavy recoil. Heat-treated steel internal components and polished sear surfaces reduce drag and provide a smooth, consistent trigger pull. Simple drop-in fit replaces factory trigger assembly without alterations. Standard trigger is adjustable from 1½ to 3 lb. for weight-of-pull. Requires original factory safety. Current production rifles with the X-Mark pro trigger the customer will need 767-000-858 and 758-000-011 as the factory Remington safety will not fit. Competition trigger is adjustable from 2 to 6 oz. for weight-of-pull. No provision for safety installation.



Attributes

- Name: [STD REM 700/40X/XP-100 TRIGGER, SS](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801000040
- Mfr. No.: NONE
- Make: Remington
- Model: 700
- Style: Match Grade
- Delivery weight: 0.023kg
- Shipping height: 10mm
- Shipping width: 99mm
- Shipping length: 117mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON 700/40X/XP100 Adjustable Triggers
- About Us

Safety Instruction Guide for REMINGTON 700/40X/XP100 Adjustable Triggers

Introduction

Thank you for choosing the REMINGTON 700/40X/XP100 Adjustable Triggers. This product is designed for precision shooting and provides adjustable features for enhanced performance. To ensure your safety and the safe use of this product, please read this guide carefully before installation and use.

General Safety Guidelines

- **Product Safety:** This product is designed to meet safety standards for nonfood items. Ensure that you follow all instructions to avoid risks associated with improper use.
- **Enhanced Recalls:** Stay informed about potential recalls. If you receive a recall notice, follow the instructions provided to ensure your safety.
- **Online Shopping:** When purchasing online, ensure that the seller complies with safety regulations similar to those of physical stores.
- **Special Consumer Focus:** This product is not intended for use by children. Keep it out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point related to this product.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Read the Manual:** Always read and understand the product manual before use.
- **Check Compatibility:** Ensure that the trigger is compatible with your specific model of Remington rifle or silhouette pistol.
- **Inspect Before Use:** Regularly inspect the trigger for any signs of wear or damage. Do not use if damaged.
- **Proper Handling:** Always handle firearms safely. Treat every firearm as if it is loaded.
- **Trigger Adjustments:** Make adjustments only when the firearm is unloaded and pointed in a safe direction.
- **WeightofPull Settings:** Familiarize yourself with the weightofpull settings. Do not exceed recommended adjustments.
- **Safety Mechanism:** Ensure that the original factory safety is operational. If using the competition trigger, be aware that it does not have a safety installation provision.

Instructions for Installation and Usage

Installation

1. **Unloading:** Ensure the firearm is completely unloaded before starting the installation process.
2. **Remove Factory Trigger:** Carefully follow the manufacturer's instructions to remove the factory trigger assembly.
3. **Install Adjustable Trigger:**
 - Align the adjustable trigger with the mounting points.
 - Secure the trigger in place using the provided Allen head setscrews.
 - Lock the screws in place with hex nuts to prevent movement during use.
4. **Adjust Settings:**
 - Adjust the sear engagement, overtravel, and weightofpull according to your preference.
 - For standard triggers, set the weightofpull between 1½ to 3 lb.
 - For competition triggers, set the weightofpull between 2 to 6 oz.

5. **Final Inspection:** After installation, perform a thorough inspection to ensure that everything is secure and functioning properly.

Usage

- **Regular Checks:** Before each shooting session, check the trigger settings and ensure everything is properly secured.
- **Practice Safe Shooting:** Always follow safe shooting practices. Be aware of your surroundings and ensure a safe backstop.
- **Maintain the Trigger:** Keep the trigger clean and free of debris to ensure optimal performance and safety.

Disposal Instructions

- **Responsible Disposal:** Dispose of any unused parts or packaging in accordance with local regulations. Do not dispose of in regular household waste.
- **Environmental Considerations:** Follow guidelines for the disposal of materials that may be harmful to the environment.

Contact Information for Further Support

For any questions or concerns regarding the REMINGTON 700/40X/XP100 Adjustable Triggers, please refer to the manufacturer's contact information or your local retailer for assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your REMINGTON 700/40X/XP100 Adjustable Triggers. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at