

# REMINGTON 700/40X/XP-100 ADJUSTABLE TRIGGERS - SHILEN COMP REM 700/40X/XP-100 TRIGGER, BLUE

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

## Match Grade Triggers For Optimal Accuracy

Precision, match grade triggers are fully adjustable for sear engagement, overtravel, and weight-of-pull to help ensure a crisp, light trigger pull and the best possible accuracy from your rifle or silhouette pistol. Allen head setscrews allow precise adjustments; hex nuts lock the screws in place and hold tight even under heavy recoil. Heat-treated steel internal components and polished sear surfaces reduce drag and provide a smooth, consistent trigger pull. Simple drop-in fit replaces factory trigger assembly without alterations. Standard trigger is adjustable from 1½ to 3 lb. for weight-of-pull. Requires original factory safety. Current production rifles with the X-Mark pro trigger the customer will need 767-000-858 and 758-000-011 as the factory Remington safety will not fit. Competition trigger is adjustable from 2 to 6 oz. for weight-of-pull. No provision for safety installation.



## Attributes

- Name: [SHILEN COMP REM 700/40X/XP-100 TRIGGER, BLUE](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801700400
- Mfr. No.: NONE
- Model: 700
- Style: Match Grade
- Weapon type: Remington
- Delivery weight: 0.045kg
- Shipping height: 10mm
- Shipping width: 102mm
- Shipping length: 124mm

## Item details

Made in USA

US export classification: 0A501.c

# Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON 700/40X/XP100 Adjustable Triggers
- About Us

# Safety Instruction Guide for REMINGTON 700/40X/XP100 Adjustable Triggers

## Introduction

Thank you for choosing the REMINGTON 700/40X/XP100 Adjustable Triggers by SHILEN. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your triggers. Please read this manual carefully before installation and use to maximize safety and performance.

## General Safety Guidelines

- Ensure the trigger is installed by a qualified gunsmith or experienced individual.
- Always treat firearms as if they are loaded.
- Keep firearms pointed in a safe direction at all times.
- Always keep your finger off the trigger until ready to shoot.
- Store firearms and ammunition securely, out of reach of children and unauthorized users.
- Regularly inspect your firearm and trigger for any signs of wear or damage.
- Follow all applicable local laws and regulations regarding firearms and modifications.
- Use only factory approved parts and accessories to ensure safety and performance.

## Specific Safety Precautions for Use

### • Hazard Identification:

- Improper installation may lead to unintentional discharge.
- Adjusting the trigger pull weight may affect firearm performance and safety.
- The competition trigger has no provision for safety installation; use with caution.

### • Avoiding Hazards:

- Ensure the firearm is unloaded before making any adjustments or installations.
- Use appropriate tools for adjustments to avoid damaging the trigger or firearm.
- Do not exceed the manufacturer's recommended weight of pull adjustments.
- If unsure about any adjustments, consult a qualified gunsmith.

### • Age and Audience Specific Warnings:

- This product is intended for use by individuals who are familiar with firearms and their operation. It is not suitable for use by children.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the factory trigger assembly following the manufacturer's instructions.
- Carefully install the SHILEN adjustable trigger into the firearm, ensuring it fits securely.
- Tighten the Allen head setscrews to lock the trigger in place.

### 2. Adjustment:

- Use the appropriate hex tools to adjust the sear engagement, overtravel, and weight of pull.
- For standard triggers, adjust weight of pull from  $1\frac{1}{2}$  to 3 lb. For competition triggers, adjust from 2

- to 6 oz.
- Make small adjustments and test the trigger pull after each change to ensure safety and functionality.

### **3. Testing:**

- After installation and adjustments, conduct a function check:
  - Ensure the trigger engages and releases properly.
  - Confirm that the firearm operates safely and reliably.
- Perform this function check in a controlled environment, adhering to all safety protocols.

## **Disposal Instructions**

- Dispose of the product in accordance with local regulations for hazardous materials and firearms accessories.
- If the product is damaged or no longer usable, consult local waste management authorities for proper disposal methods.

## **Contact Information for Further Support**

For any inquiries or support regarding the REMINGTON 700/40X/XP100 Adjustable Triggers, please refer to the manufacturer's website or contact your local dealer.

Thank you for prioritizing safety and adhering to these guidelines. Enjoy your shooting experience with the REMINGTON 700/40X/XP100 Adjustable Triggers responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)