

TAPER PIN STARTER - STARRETT #800C 3/32" STARTER PUNCH

[Gunsmith Tools](#) > [Rifle Tools](#) > [Pin Tools](#)

This tool's radiused face matches the end of the front sight housing taper pin to prevent damage during removal. The taper pin is removed by driving from left to right; the small end is on the left side of the barrel, the large end is on the right side!



Attributes

- Name: [STARRETT #800C 3/32" STARTER PUNCH](#)
- Manufacturer: [STARRETT](#)
- Product no.: 827530320
- Mfr. No.: 53031
- Weapon type: AR-15
- Delivery weight: 0.041kg
- Shipping height: 15mm
- Shipping width: 71mm
- Shipping length: 163mm
- UPC: 050806101906

Item details

Made in USA

Table of Contents

- Startpage
- TAPER PIN STARTER STARRETT #800C 3/32" STARTER PUNCH Safety Instructions
- About Us

TAPER PIN STARTER STARRETT #800C 3/32" STARTER PUNCH Safety Instructions

Introduction

Thank you for choosing the Taper Pin Starter Starrett #800C 3/32" Starter Punch. This tool is designed to safely and effectively assist in the removal of taper pins from the front sight housing of AR15 firearms. It is essential to follow these safety instructions to ensure proper use and to minimize the risk of injury or damage.

General Safety Guidelines

- Always read and understand the instructions before using the tool.
- Use the tool only for its intended purpose as described in this guide.
- Keep the tool out of the reach of children and unauthorized users.
- Inspect the tool before each use to ensure it is in good working condition.
- Wear appropriate personal protective equipment (PPE), such as safety goggles and gloves, while using the tool.
- Do not use the tool if it is damaged or defective.
- Store the tool in a dry, safe place when not in use.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded and the chamber is clear before attempting to use the starter punch.
- Use the starter punch in a wellventilated area to avoid inhaling any debris.
- Always drive the taper pin from left to right, as indicated, to prevent damage to the barrel or tool.
- Do not apply excessive force when using the tool; if the pin does not move, reassess the situation rather than forcing it.
- Be cautious of sharp edges and points on the tool that may cause injury.
- Avoid using the tool in wet or damp conditions to prevent slipping.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded.
- Gather necessary tools and safety equipment.

2. Positioning:

- Position the firearm securely on a stable surface.
- Identify the taper pin to be removed.

3. Using the Starter Punch:

- Align the small end of the starter punch with the small end of the taper pin.
- Using a hammer, gently tap the larger end of the starter punch.
- Apply controlled force to drive the taper pin out from left to right.
- If resistance is encountered, stop and reassess the situation.

4. Completion:

- Once the taper pin is removed, inspect the area for any debris or damage.
- Clean the tool after use to maintain its condition.

Disposal Instructions

- Dispose of the tool responsibly, following local regulations for tool disposal.
- If the tool is damaged beyond repair, consider recycling metal components where possible.

Contact Information for Further Support

For any safety inquiries, please refer to the product packaging or your retailer for contact information regarding support and assistance.

By following these safety instructions, you contribute to a safer working environment and ensure the longevity of the Taper Pin Starter Starrett #800C 3/32" Starter Punch. Always prioritize safety and proper usage to achieve the best results.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk