

# MAUSER 98 SPEED LOCK FIRING PIN SPRING - DAVID TUBB MAUSER 98 (LARGE RING & COMMERCIAL)

[Rifle Parts](#) > [Bolt Parts](#) > [Firing Pin Parts](#) > [Firing Pin Springs](#)

The same chrome silicon firing pin springs used in the Speedlock kits above. Keeps easy bolt lift and trigger pull of a factory weight spring, with the improved ignition performance of an extra-power spring. Provides consistent, repeatable performance over thousands of compression cycles. Remington 700 Short & Long Action Springs feature DUO Spring Sets, two opposite facing springs to improve performance.



## Attributes

- Name: [DAVID TUBB MAUSER 98 \(LARGE RING & COMMERCIAL\)](#)
- Manufacturer: [DAVID TUBB](#)
- Product no.: 840000021
- Mfr. No.: CSM98
- Model: 98
- Weapon type: Mauser
- Delivery weight: 0.005kg
- Shipping height: 4mm
- Shipping width: 70mm
- Shipping length: 188mm

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [MAUSER 98 SPEED LOCK FIRING PIN SPRING Safety Instruction Guide](#)
- [About Us](#)

# MAUSER 98 SPEED LOCK FIRING PIN SPRING

## Safety Instruction Guide

### Introduction

Thank you for choosing the MAUSER 98 Speed Lock Firing Pin Spring by David Tubb. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before installation and usage.

### General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Keep out of reach of children and vulnerable individuals.
- Regularly inspect the firing pin spring for any signs of wear or damage.
- Do not modify the product in any way.
- Always follow the manufacturer's instructions for installation and usage.
- In case of any accidents or unsafe conditions, report to the relevant authorities.

### Specific Safety Precautions for Use

- Use the MAUSER 98 Speed Lock Firing Pin Spring only with compatible firearms as specified.
- Avoid using the product if it shows signs of corrosion or damage.
- Do not exceed the recommended firing pin spring specifications, as this can lead to malfunction or injury.
- Wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure the firearm is in a safe condition before installation or maintenance.

### Instructions for Installation and Usage

#### 1. Preparation:

- Ensure the firearm is unloaded and in a safe condition.
- Gather necessary tools for installation.

#### 2. Installation:

- Remove the existing firing pin spring from the firearm according to the manufacturer's instructions.
- Inspect the firing pin and related components for any damage.
- Install the MAUSER 98 Speed Lock Firing Pin Spring by carefully placing it into the firing pin assembly.
- Ensure the spring is seated correctly and securely.

#### 3. Usage:

- After installation, test the firearm in a safe environment to ensure proper functionality.
- Monitor the performance of the firing pin spring during use. If any irregularities are observed, cease use immediately and inspect the spring and firearm.

#### 4. Maintenance:

- Regularly check the firing pin spring for wear and replace it if necessary.
- Clean the spring and surrounding components to prevent buildup of debris.

## **Disposal Instructions**

- Dispose of the MAUSER 98 Speed Lock Firing Pin Spring in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local authorities for proper disposal methods for firearm components.

## **Contact Information for Further Support**

For further assistance or inquiries regarding safety, usage, or product recalls, please refer to the EU contact point or your local authority.

Thank you for your attention to these safety instructions. Your safety and the safety of others are our top priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)