

# #3 MUZZLE BRAKE 22 CALIBER - SHREWD #3 MUZZLE BRAKE 22 CALIBER 9/16-24 CHROME MOLY SILVER

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Multi-port brake softens felt recoil and reduces muzzle rise. A single expansion chamber and 42 total ports, 21 on each side, angled 7° forward, provide maximum recoil control. Gunsmithing required. Comes with a .220" (nominal) diameter exit hole that must be opened up to .020" larger than bullet diameter. Can be enlarged to allow bullets up to .44 caliber. Rear exterior of comp can be machined to conform to barrel.



## Attributes

- Name: [SHREWD #3 MUZZLE BRAKE 22 CALIBER 9/16-24 CHROME MOLY SILVER](#)
- Manufacturer: [SHREWD](#)
- Product no.: 860100324
- Mfr. No.: NONE
- Finish: Silver
- Material: Chrome Moly
- Size: .850
- Threads: 9/16-24
- Weapon type: Universal Rifles
- Delivery weight: 0.136kg
- Shipping height: 8mm
- Shipping width: 124mm
- Shipping length: 216mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for #3 Muzzle Brake 22 Caliber Shrewd
- About Us

# Safety Instruction Guide for #3 Muzzle Brake 22 Caliber Shrewd

## Introduction

Thank you for choosing the #3 Muzzle Brake 22 Caliber Shrewd. This product is designed to enhance your shooting experience by reducing felt recoil and muzzle rise. However, it is essential to follow safety guidelines to ensure proper usage and avoid potential hazards. This guide provides comprehensive safety instructions in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Always treat firearms and accessories as if they are loaded.
- Ensure you are familiar with the operation of your firearm and how the muzzle brake integrates with it.
- Keep the muzzle brake and firearm out of reach of children and unauthorized users.
- Use the muzzle brake only with compatible firearms and ammunition.
- Regularly inspect the muzzle brake for wear or damage before use.
- Do not modify the muzzle brake in any way that is not specified in this guide.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.

## Specific Safety Precautions for Use

- Installation Safety:** Ensure that the muzzle brake is installed by a qualified gunsmith to avoid improper fitting, which could lead to accidents.
- Thread Compatibility:** Confirm that the muzzle brake's 9/16x24 threads match the threads on your firearm's barrel.
- Expansion Chamber:** The exit hole of the muzzle brake must be opened to .020" larger than the bullet diameter. Failure to do so may result in malfunction or damage.
- Caliber Limits:** This muzzle brake can accommodate bullets up to .44 caliber. Using larger calibers may pose safety risks.
- Machining:** If machining the rear exterior of the comp to conform to the barrel, ensure it is done by a professional to maintain structural integrity.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing muzzle device if applicable.
- Clean the threads on the barrel to remove any debris or residue.
- Align the muzzle brake with the barrel threads and handtighten it.
- Use a torque wrench to tighten the muzzle brake to the manufacturer's specifications, ensuring it is secure but not overtightened.

### 2. Usage:

- Before firing, confirm that the muzzle brake is securely attached.
- Load the firearm in a safe environment, adhering to all firearm safety protocols.
- Fire the weapon while maintaining a firm grip to control recoil.
- After firing, inspect the muzzle brake for any signs of damage or excessive wear.

### 3. PostUse Care:

- Clean the muzzle brake regularly to prevent buildup of residues.
- Store the muzzle brake in a safe, dry place when not in use.

## **Disposal Instructions**

- Dispose of the muzzle brake in accordance with local regulations.
- Do not dispose of the muzzle brake in regular household waste.
- Contact your local waste management authority for information on proper disposal methods.

## **Contact Information for Further Support**

For any safety inquiries or support regarding the #3 Muzzle Brake 22 Caliber Shrewd, please reach out to your local authorized dealer or manufacturer's representative. Always ensure that you have the latest information regarding product recalls and safety notices.

By following these safety instructions, you can ensure a safe and enjoyable shooting experience with your #3 Muzzle Brake 22 Caliber Shrewd. Always prioritize safety and stay informed about best practices in firearm handling and maintenance.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)