

# VARMINT MUZZLE BRAKE 20 CALIBER - SHREWD VARMINT MUZZLE BRAKE 20 CALIBER 5/8-24 SS SILVER

[Rifle Parts](#) > [Muzzle Devices](#) > [Compensators & Muzzle Brakes](#)

Single expansion chamber and 42 total ports, 21 on each side, angled 7° forward, provide maximum recoil control. CNC machined for precise fit with very little finish work. Rear of comp can be tapered to conform to barrel. Bore exit hole must be opened up to .020" over bullet diameter.



## Attributes

- Name: [SHREWD VARMINT MUZZLE BRAKE 20 CALIBER 5/8-24 SS SILVER](#)
- Manufacturer: [SHREWD](#)
- Product no.: 860110162
- Mfr. No.: NONE
- Caliber: 20 Caliber (.204)
- Finish: Stainless Steel
- Material: -
- Size: 1
- Threads: 5/8-24
- Weapon type: Universal Rifles
- Delivery weight: 0.136kg
- Shipping height: 30mm
- Shipping width: 102mm
- Shipping length: 79mm

## Item details

Made in USA

# Table of Contents

- Startpage
- VARMINT MUZZLE BRAKE 20 CALIBER Safety Instruction Guide
- About Us

# VARMINT MUZZLE BRAKE 20 CALIBER Safety Instruction Guide

## Introduction

Thank you for choosing the VARMINT MUZZLE BRAKE 20 CALIBER by SHREWD. This product is designed to enhance the performance of your firearm by providing maximum recoil control. Please read this safety instruction guide carefully to ensure safe and effective use of the muzzle brake.

## General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before using the muzzle brake.
- Always treat every firearm as if it is loaded.
- Store the muzzle brake and your firearm in a secure location, away from children and unauthorized users.
- Inspect the muzzle brake regularly for any signs of wear or damage.
- Use only the specified caliber (20 Caliber / .204) with this muzzle brake.
- Follow all local laws and regulations regarding firearm accessories.

## Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when shooting.
- Do not modify the muzzle brake in any way that might compromise its integrity or safety.
- Ensure that the bore exit hole is opened to .020" over bullet diameter to avoid obstruction.
- Make sure the muzzle brake is securely attached to the firearm before use.
- Avoid using the muzzle brake in conditions that may cause it to overheat, such as rapid firing.
- If you experience any unusual sounds or performance issues while using the muzzle brake, stop using it immediately and consult a professional.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing muzzle device from the barrel.
- Clean the threads on the barrel to remove any debris or residue.
- Screw the VARMINT MUZZLE BRAKE onto the barrel, ensuring it is aligned properly.
- Tighten the muzzle brake securely, but do not overtighten as this may damage the threads.

### 2. Usage:

- Before firing, doublecheck that the muzzle brake is securely attached.
- Use the firearm as instructed by the manufacturer, being mindful of the muzzle brake's function.
- After firing, inspect the muzzle brake for any signs of damage or wear.

## Disposal Instructions

- Dispose of the VARMINT MUZZLE BRAKE in accordance with local regulations regarding metal and firearm accessories.
- If the product is damaged or no longer usable, ensure it is securely packaged to avoid injury during disposal.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding the VARMINT MUZZLE BRAKE, please refer to the manufacturer's contact information provided with your product packaging.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your VARMINT MUZZLE BRAKE 20 CALIBER. Thank you for your attention to safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)