

MODERN SPORTING SCOPE RINGS - TALLEY 30MM LOW BLACK MODERN SPORTING RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Talley Modern Sporting Ring is a new solution for your Picatinny rail system with a clean appearance. Machined from aircraft grade alloy and has a black anodize finish. Currently available in 1", 30mm and 34mm. Height measured from rail to center line of scope. Low: .890" 30mm, .969" 34mm Med: .900" 1", .990" 30mm, 1.069" 34mm High: 1.00" 1", 1.09" 30mm, 1.169" 34mm



Attributes

- Name: [TALLEY 30MM LOW BLACK MODERN SPORTING RINGS](#)
- Manufacturer: [TALLEY](#)
- Product no.: 874000164
- Mfr. No.: TMS30L
- Finish: Black
- Height: 0.890"
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Tactical Rings
- Delivery weight: 0.109kg
- Shipping height: 203mm
- Shipping width: 32mm
- Shipping length: 102mm
- UPC: 810301023581

Item details

Made in USA

Table of Contents

- Startpage
- MODERN SPORTING SCOPE RINGS TALLEY 30MM LOW BLACK Safety Instructions Guide
- About Us

MODERN SPORTING SCOPE RINGS TALLEY 30MM LOW BLACK Safety Instructions Guide

Introduction

Thank you for choosing the Talley Modern Sporting Scope Rings. These rings are designed for use with Picatinny rail systems and provide a secure and clean mounting solution for your scope. This guide contains important safety information, installation instructions, and proper usage guidelines to ensure your safety and the longevity of the product.

General Safety Guidelines

- Ensure that the scope rings are compatible with your scope and rail system before installation.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not exceed the recommended weight limit for the scope rings.
- Avoid using the product in extreme weather conditions that may affect performance.
- Ensure that all screws and fastenings are tightened according to the manufacturer's specifications.
- Do not modify or alter the scope rings in any way.
- Use the scope rings only for their intended purpose as specified by the manufacturer.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure your workspace is clean and free of debris.

2. Installation Steps

- Place the scope rings on the Picatinny rail in the desired position.
- Align the scope rings with the mounting holes on the rail.
- Insert and handtighten the screws to hold the rings in place.
- Using a torque wrench, tighten the screws to the manufacturer's specified torque settings:
 - Low: 0.890" height for 30mm
 - Medium: 0.900" height for 1"
 - High: 1.00" height for 1"
- Ensure the scope is properly seated within the rings before final tightening.

3. Usage

- Once installed, check the alignment of the scope through the rings.
- Make any necessary adjustments to ensure proper sight alignment.
- Regularly check the tightness of the screws during use, especially after heavy use or transport.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste. Instead, use designated recycling facilities for metal and plastic components.

Contact Information for Further Support

For any questions or concerns regarding the MODERN SPORTING SCOPE RINGS, please refer to the manufacturer's support resources. Always ensure that you have the product information available when seeking assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy your Talley Modern Sporting Scope Rings!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk