

SIG HEX HEAD GRIP SCREWS - TJS CUSTOM BLACK GRIP SCREWS FITS SIG 226, 228, 229

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

Great Looking Replacements For SIG Pistols

Functional, hex head screws help put an end to scratched, beat-up and worn grip screws. Pristine screws make grips look nicer. Plus, hex head wrenches are less likely to slip and put marks on the grips or frame.



Attributes

- Name: [TJS CUSTOM BLACK GRIP SCREWS FITS SIG 226, 228, 229](#)
- Manufacturer: [TJS CUSTOM](#)
- Product no.: 876050225
- Mfr. No.: 226B
- Model: P228,P229,P226
- Weapon type: Sig Sauer
- Quantity: 4
- Delivery weight: 0.009kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- SIG HEX HEAD GRIP SCREWS SAFETY INSTRUCTION GUIDE
- About Us

SIG HEX HEAD GRIP SCREWS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the SIG Hex Head Grip Screws. These screws are designed to enhance the appearance and functionality of your SIG Sauer firearms, specifically models P226, P228, and P229. This guide provides important safety information and instructions to ensure the safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Inspect the screws and tools for any damage before use.
- Keep the screws and tools out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the provided hex head wrenches for installation and removal to prevent slipping and potential damage.
- Do not overtighten the screws, as this may lead to stripping or damage to the grip.
- Always wear safety glasses when working with tools to protect your eyes from potential debris.
- Ensure that the firearm is unloaded and pointed in a safe direction during installation.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and safe to handle.
- Gather the necessary tools: a hex head wrench and a clean workspace.

2. Installation Steps:

- Remove the old grip screws using the hex head wrench.
- Align the new SIG Hex Head Grip Screws with the grip holes.
- Insert the screws and handtighten them until snug.
- Use the hex head wrench to securely tighten the screws, but avoid overtightening.

3. Usage:

- Regularly check the tightness of the screws, especially after extended use or recoil.
- If you notice any wear or damage to the screws, replace them immediately.

Disposal Instructions

- Dispose of any old or damaged screws in accordance with local regulations.
- Recycle packaging materials where possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the SIG Hex Head Grip Screws, please contact your local retailer or authorized distributor for assistance. Ensure that you have the product information readily available for reference.

Thank you for your attention to these safety guidelines. Enjoy your enhanced grip experience with the SIG Hex Head Grip Screws!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk