

AR-15 TARGA 2-STAGE TRIGGERS SHORT - TIMNEY AR-15 TARGA 2STAGE TRIGGER SHORT STRAIGHT

[Rifle Parts](#) > [Triggers Parts](#) > [Triggers](#)

The new Timney AR Targa 2-Stage Trigger with a SHORT first stage take-up is a self-contained, 100% drop-in unit that is ready to install in your AR-15 for an exceptionally smooth, crisp, two-stage trigger pull. No gunsmithing, fitting, or adjusting required. The pull weight is factory calibrated for a two-pound first stage and a two-pound second stage. The trigger housing is constructed of military grade, 6061 T6 alloy that is CNC machined using state-of-the-art robotics and is anodized for superior durability. The hammer is wire EDM cut from S7 tool steel, combining hardness to resist wear with superior impact resistance to withstand heavy use without chipping or breaking and is Teflon-nickel coated for lubricity. Other components are wire EDM cut from A2 tool steel, then heat treated to Rockwell 58 for long lasting, dependable service life. The Timney AR Targa 2 Stage Trigger installs using your rifle's original hammer/trigger pins – a proprietary design eliminates pin rotation and walkout. Timney Triggers is dedicated to ensuring our customers a lifetime of hassle free shooting enjoyment. That is evident in the last step of the manufacturing process, when each trigger is hand assembled, tested, and calibrated for the specific rifle model it is intended for before it's delivered to the customer's door.



Attributes

- Name: [TIMNEY AR-15 TARGA 2STAGE TRIGGER SHORT STRAIGHT](#)
- Manufacturer: [TIMNEY](#)
- Product no.: 883000103
- Mfr. No.: 662S-ST
- Style: 2-Stage,Drop-In
- Weapon type: AR-15
- Delivery weight: 0.068kg
- Shipping height: 18mm
- Shipping width: 79mm
- Shipping length: 104mm
- UPC: 081950662500

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Timney AR15 Targa 2Stage Trigger Safety Instructions
- About Us

Timney AR15 Targa 2Stage Trigger Safety Instructions

Introduction

Thank you for choosing the Timney AR15 Targa 2Stage Trigger. This document provides essential safety instructions and guidelines to ensure the safe use and installation of your new trigger. Please read this guide carefully before use.

General Safety Guidelines

- Ensure you are familiar with the operation of your firearm and the specific components involved in the installation of the trigger.
- Always treat every firearm as if it is loaded. Keep the firearm pointed in a safe direction at all times.
- Store your firearm and all firearm components, including the trigger, in a secure location, out of reach of children and unauthorized users.
- Regularly inspect your trigger and firearm for any signs of wear or damage. Do not use if any parts appear compromised.
- Understand and comply with all local laws and regulations regarding firearm modifications and usage.

Specific Safety Precautions for Use

- **Installation Safety:** Only install the Timney AR15 Targa 2Stage Trigger in compatible AR15 models. Ensure all firearm components are in good working condition before installation.
- **Testing:** After installation, perform a function check to ensure the trigger operates correctly. Do not assume it is functioning properly without testing.
- **Dry Firing:** If practicing dry firing, ensure the firearm is pointed in a safe direction and that no ammunition is present in the firearm.
- **Maintenance:** Regularly clean and maintain your trigger and firearm to prevent malfunctions. Follow the manufacturer's recommendations for cleaning products and techniques.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Gather necessary tools, including a punch tool for removing pins and a small hammer.

2. Removal of Original Trigger:

- Use the punch tool to remove the hammer and trigger pins from the original trigger assembly.
- Carefully remove the original trigger and hammer from the lower receiver.

3. Installation of Timney AR15 Targa 2Stage Trigger:

- Align the new Timney trigger with the original pin holes in the lower receiver.
- Insert the hammer/trigger pins through the trigger assembly to secure it in place. Ensure the proprietary design prevents pin rotation and walkout.
- Doublecheck that the trigger is seated properly and that all pins are securely in place.

4. Function Check:

- With the firearm still pointed in a safe direction, perform a function check:

- Pull the trigger to ensure the first stage engages and then the second stage releases the hammer.
- Ensure that the trigger resets properly after being released.
- If any issues are detected, do not use the firearm until resolved.

5. Final Steps:

- Once testing is complete, reassemble any other components of the firearm as necessary.
- Store your firearm safely and securely.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the trigger or any of its components become damaged beyond repair, dispose of them in accordance with local hazardous waste regulations to prevent environmental harm.

Contact Information for Further Support

For any questions or concerns regarding the Timney AR15 Targa 2Stage Trigger, please refer to the manufacturer's website or customer support resources.

By following these guidelines, you can ensure a safer and more enjoyable experience with your Timney AR15 Targa 2Stage Trigger. Thank you for your attention to safety and responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk