

AR-15/M16 EXTRACTOR O-RING - TANKS RIFLE SHOP EXTRACTOR "DONUTS", 5-PAK

[Home](#)

Drop-In Part Helps Ensure Positive, Reliable Extraction

Tiny, high-stress synthetic rubber ring slips around the extractor spring to increase extractor tension for more reliable extraction. Eliminates spring "chatter" to prevent malfunctions caused by the extractor slipping off the cartridge rim. Helps ensure positive, consistent extraction during rapid-fire sequences.



Attributes

- Name: [TANKS RIFLE SHOP EXTRACTOR "DONUTS", 5-PAK](#)
- Manufacturer: [TANKS RIFLE SHOP](#)
- Product no.: 901000002
- Mfr. No.: TAN017
- Weapon type: AR-15
- Delivery weight: 0.045kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR15/M16 Extractor ORing "Donuts"
- About Us

Safety Instruction Guide for AR15/M16 Extractor ORing "Donuts"

Introduction

Thank you for choosing the AR15/M16 Extractor ORing "Donuts" from TANKS RIFLE SHOP. This product is designed to enhance the performance of your rifle by improving extractor tension for reliable extraction. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

To ensure the safe use of the AR15/M16 Extractor ORing "Donuts," please adhere to the following guidelines:

- Always follow the manufacturer's instructions when using this product.
- Keep this product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and tear before use.
- Report any unsafe conditions or malfunctions to the appropriate authorities.
- Stay informed about product recalls via the EU's Safety Gate platform.

Specific Safety Precautions for Use

When using the AR15/M16 Extractor ORing "Donuts," please consider the following safety precautions:

- Ensure that the firearm is unloaded before installing or removing the extractor ORing.
- Do not use the extractor ORing if it shows signs of damage or wear.
- Avoid using excessive force during installation to prevent injury or damage.
- Always wear appropriate eye and ear protection when operating your firearm.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

Proper installation and usage of the AR15/M16 Extractor ORing "Donuts" are crucial for performance and safety. Follow these steps:

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation.

2. Installation:

- Remove the existing extractor spring from the firearm.
- Carefully slip the extractor ORing around the extractor spring.
- Reinstall the extractor spring into the firearm, ensuring it is securely in place.
- Doublecheck that the ORing is properly seated and not pinched.

3. Usage:

- Test the firearm in a safe environment to ensure proper function.
- Monitor the performance during use. If you notice any malfunctions, cease use immediately.
- Regularly check the condition of the ORing and replace it as needed.

Disposal Instructions

When the AR15/M16 Extractor ORing "Donuts" reaches the end of its life cycle, please dispose of it responsibly:

- Do not dispose of the product in regular household waste.
- Check local regulations for proper disposal of synthetic rubber products.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the contact information provided on the product packaging or visit the manufacturer's website.

By following these guidelines, you ensure not only your safety but also the effective performance of your AR15/M16 Extractor ORing "Donuts." Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk