

TRG 22/42 BIPOD 8-13" BLACK - SAKO TRG 22/42 BIPOD 8-13" BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

FITS: Sako

This bipod lets the rifle "hang" below the hinge-point offering very steady shooting position even with large and heavy scopes on the rifle. Fits: Sako



Attributes

- Name: [SAKO TRG 22/42 BIPOD 8-13" BLACK](#)
- Manufacturer: [SAKO](#)
- Product no.: 913000173
- Mfr. No.: S5740495
- Colour: Black
- Feet Material: Steel
- Folding: Yes
- Height: 8 to 13
- Style: Fixed
- Delivery weight: 0.68kg
- Shipping height: 66mm
- Shipping width: 140mm
- Shipping length: 254mm
- UPC: 082442069708

Table of Contents

- [Startpage](#)
- [TRG 22/42 BIPOD 813" BLACK Safety Instruction Guide](#)
- [About Us](#)

TRG 22/42 BIPOD 813" BLACK Safety Instruction Guide

Introduction

Thank you for choosing the TRG 22/42 BIPOD 813" BLACK. This bipod is designed to provide a stable shooting platform for your Sako rifle. It is crucial to follow all safety guidelines and instructions to ensure safe and effective use of this product.

General Safety Guidelines

- Ensure that the bipod is compatible with your rifle model before use.
- Always inspect the bipod for any damage or wear before each use.
- Use the bipod only for its intended purpose; do not modify or alter it in any way.
- Keep the bipod out of reach of children and vulnerable individuals when not in use.
- Store the bipod in a dry, cool place to prevent rust and deterioration of materials.

Specific Safety Precautions for Use

- Always ensure the bipod is securely attached to the rifle before attempting to take a shot.
- When using the bipod, ensure it is placed on a stable surface to prevent tipping.
- Be aware of your surroundings and ensure that the shooting area is clear of people and obstacles.
- Do not exceed the weight limit of the bipod; using excessively heavy scopes can affect stability and safety.
- Always adhere to local laws and regulations regarding firearm usage.

Instructions for Installation and Usage

1. Installation:

- Unpack the bipod and check for all components.
- Attach the bipod to the rifle's mounting point according to the manufacturer's instructions.
- Ensure the bipod is locked in place and does not move or wobble.

2. Usage:

- Adjust the height of the bipod to your preferred shooting position (8 to 13 inches).
- Ensure the bipod legs are fully extended and locked before use.
- Position the bipod on a flat surface for maximum stability.
- When ready to shoot, maintain a steady grip on the rifle and ensure your body posture is stable.

Disposal Instructions

- Dispose of the bipod in accordance with local regulations.
- If the bipod is damaged beyond repair, consider recycling the metal components where possible.
- Do not dispose of the bipod in regular household waste.

Contact Information for Further Support

For any questions or concerns regarding the TRG 22/42 BIPOD 813" BLACK, please refer to the manufacturer's customer support resources. If you encounter any unsafe conditions or product recalls, report them to the appropriate authorities and check for updates on the EU Safety Gate platform.

Thank you for your attention to these safety guidelines, and enjoy your shooting experience with the TRG 22/42
BIPOD 813" BLACK.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk