

BERETTA M9A3 THREADED BARREL CAP FDE - BERETTA USA

BERETTA M9A3 THREADED BARREL CAP FDE

[Handgun Parts](#) > [Barrel Parts](#) > [Thread Protectors](#)

Beretta factory Threaded Barrel Cap FDE for the M9A3.



Attributes

- Name: [BERETTA USA BERETTA M9A3 THREADED BARREL CAP FDE](#)
- Manufacturer: [BERETTA USA](#)
- Product no.: 913000784
- Mfr. No.: UD5A1506SP
- Colour: Flat Dark Earth
- Delivery weight: 0.009kg
- Shipping height: 1mm
- Shipping width: 89mm
- Shipping length: 152mm

Table of Contents

- Startpage
- Safety Instruction Guide for Beretta M9A3 Threaded Barrel Cap FDE
- About Us

Safety Instruction Guide for Beretta M9A3 Threaded Barrel Cap FDE

Introduction

Thank you for choosing the Beretta M9A3 Threaded Barrel Cap FDE. This product is designed to protect the threaded barrel of your firearm, ensuring safe and effective use. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Always handle firearms with care and follow all safety protocols.
- Ensure that the barrel cap is securely attached before handling the firearm.
- Regularly inspect the barrel cap for any signs of wear or damage.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attaching or removing the barrel cap.
- Do not use the barrel cap if it is damaged or shows signs of wear.
- Avoid using excessive force when attaching or detaching the barrel cap.
- Do not expose the barrel cap to extreme temperatures or chemicals.
- Use the barrel cap only for its intended purpose - protecting the threaded barrel of the M9A3.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the firearm is completely unloaded and pointed in a safe direction.
- Gather the necessary tools if required for installation.

2. Installation:

- Align the threaded barrel cap with the threads of the barrel.
- Gently screw the barrel cap onto the threaded barrel in a clockwise direction.
- Handtighten the cap until it is secure, but do not overtighten.

3. Usage:

- Always check that the barrel cap is securely attached before using the firearm.
- If the barrel cap becomes loose during use, stop immediately and reattach it securely.

4. Removal:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Unscrew the barrel cap by turning it counterclockwise.
- Store the barrel cap in a safe place when not in use.

Disposal Instructions

- Dispose of the barrel cap in accordance with local regulations.

- Do not dispose of the product in regular household waste if it is damaged or no longer usable.
- Consider recycling options if available.

Contact Information for Further Support

For any inquiries regarding the safety and usage of the Beretta M9A3 Threaded Barrel Cap FDE, please refer to the product packaging or visit the official Beretta website for additional resources and support.

Please ensure that you keep this safety instruction guide for future reference. Your safety and the safety of others is our top priority. Thank you for choosing Beretta.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk