

SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT - BERETTA USA SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT

[Shotgun Parts](#) > [Sights](#) > [Front Sights](#)

FITS: A390 - SERV, 12, 20

SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT

Sight, Front Large 680/390, 5/16Lx142D Luminescent



Attributes

- Name: [BERETTA USA SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT](#)
- Manufacturer: [BERETTA USA](#)
- Product no.: 913200150
- Mfr. No.: C53787
- Model: AL390
- Sight Color: Black
- Style: Fiber Optic Rods
- Weapon type: Beretta
- Delivery weight: 0.002kg
- Shipping height: 3mm
- Shipping width: 89mm
- Shipping length: 152mm

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT](#)
- [About Us](#)

Safety Instruction Guide for SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT

Introduction

Thank you for choosing the SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT by Beretta USA. This guide provides essential safety instructions to ensure the safe use and installation of this product. Please read this document carefully before use to understand how to handle the product safely and effectively.

General Safety Guidelines

- Always use the product in accordance with the manufacturer's instructions.
- Inspect the product for any visible damage or defects before use.
- Ensure that the product is suitable for the intended application and compatible with your firearm.
- Keep this product out of the reach of children and unauthorized users.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Avoid using the sight in extreme weather conditions, including heavy rain or snow, which may affect visibility.
- Do not attempt to modify or alter the sight in any way, as this may compromise its safety and functionality.
- Ensure that the sight is securely mounted to prevent it from becoming loose during use.
- Be mindful of your surroundings and ensure that you are in a safe environment when using the firearm equipped with this sight.
- Use appropriate eye protection while using the firearm.

Instructions for Installation and Usage

1. Installation

- Ensure that the firearm is unloaded before starting the installation process.
- Locate the mounting area on your firearm where the sight will be attached.
- Align the sight with the mounting holes and secure it using the provided screws.
- Tighten the screws firmly but avoid overtightening, which may damage the sight or firearm.

2. Usage

- Once installed, check the alignment of the sight with the firearm's barrel.
- Adjust the sight as necessary to ensure proper aiming.
- Always practice safe handling and shooting techniques when using the firearm.
- Regularly clean the sight to maintain visibility and functionality.

Disposal Instructions

- Dispose of this product in accordance with local regulations regarding electronic waste and firearms accessories.
- Do not dispose of the sight in regular household waste.
- If you are unsure about disposal methods, contact your local waste management authority for guidance.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the SIGHT, FRONT LARGE 680/390, 5/16LX142D LUMINESCENT, please refer to the manufacturer's contact information provided with your product packaging or on the official website.

Thank you for your attention to these safety instructions. Enjoy using your new sight responsibly and safely!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk