

BERETTA 390/391 XTREMA 12/20GA MAGAZINE CUTOFF LEVER

[Home](#)

FITS: A390 - SERV, 12, 20

BERETTA 390/391 XTREMA 12/20GA MAGAZINE CUTOFF LEVER



Attributes

- Name: [BERETTA 390/391 XTREMA 12/20GA MAGAZINE CUTOFF LEVER](#)
- Manufacturer: [BERETTA USA](#)
- Product no.: 913200161
- Mfr. No.: C53672
- Gauge: 20 Gauge,12 Gauge
- Make: Beretta
- Model: AL390
- Delivery weight: 0.009kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

US export classification: 0A501.x

Table of Contents

- Startpage
- Safety Instruction Guide for BERETTA 390/391 XTREMA 12/20GA MAGAZINE CUTOFF LEVER
- About Us

Safety Instruction Guide for BERETTA 390/391 X TREMA 12/20GA MAGAZINE CUTOFF LEVER

Introduction

Thank you for choosing the BERETTA 390/391 X TREMA 12/20GA MAGAZINE CUTOFF LEVER. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the operation of the firearm before using the magazine cutoff lever.
- Always handle firearms with care and respect, following the fundamental rules of firearm safety.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the product for any signs of wear or damage.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Do not use the magazine cutoff lever if you are under the influence of drugs or alcohol.
- Always ensure the firearm is unloaded before installing or adjusting the magazine cutoff lever.
- Avoid using the product in adverse weather conditions that may affect its performance.
- Be aware of your surroundings and ensure that no one is in the line of fire when using the firearm.
- Follow all local laws and regulations regarding the use of firearms and accessories.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing magazine cutoff lever if applicable.
- Align the new magazine cutoff lever with the designated mounting area on the firearm.
- Secure the lever in place using the appropriate tools, ensuring it is firmly attached but not overtightened.

2. Usage:

- Familiarize yourself with the operation of the magazine cutoff lever before use.
- To activate the cutoff lever, ensure you are in a safe environment and that the firearm is pointed in a safe direction.
- Follow the manufacturer's instructions for switching between magazine and singleshot modes.
- After use, always check that the lever is functioning correctly and that the firearm is unloaded.

Disposal Instructions

- Dispose of the product in accordance with local regulations for hazardous materials.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer usable, contact your local waste management facility for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of the BERETTA 390/391 XTREMA 12/20GA MAGAZINE CUTOFF LEVER, please refer to the contact information provided on the packaging or the manufacturer's website.

Thank you for taking the time to read this safety instruction guide. Your safety and the safety of others is our priority.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at