

EJECTOR, 28GA ON 20GA FRAME, RH, FINISHED

[Shotgun Parts](#) > [Receiver & Action Parts](#) > [Ejector Parts](#) > [Ejectors](#)

FITS: S686, 20

All ejectors require gunsmith fitting by Beretta qualified gunsmiths, they are not user installed.



Attributes

- Name: [EJECTOR, 28GA ON 20GA FRAME, RH, FINISHED](#)
- Manufacturer: [BERETTA USA](#)
- Product no.: 913300888
- Mfr. No.: E52317
- Make: Beretta
- Model: S686
- Delivery weight: 0.113kg
- Shipping height: 8mm
- Shipping width: 76mm
- Shipping length: 128mm

Table of Contents

- Startpage
- EJECTOR Safety Instruction Guide
- About Us

EJECTOR Safety Instruction Guide

Introduction

Thank you for choosing the EJECTOR, 28GA ON 20GA FRAME, RH, FINISHED. This document provides essential safety instructions and guidelines to ensure the safe use and handling of this product. Please read this guide thoroughly before using the ejector.

General Safety Guidelines

- Ensure that all safety measures are followed when using the ejector.
- This ejector requires professional fitting by a Beretta qualified gunsmith. It is not designed for user installation.
- Always handle firearms and their components with care, following all local laws and regulations regarding firearm safety.
- Keep the ejector and all firearms out of reach of children and unauthorized users.
- Regularly inspect the ejector for any signs of wear or damage. If any issues are found, consult a qualified gunsmith immediately.

Specific Safety Precautions for Use

- Never attempt to modify or repair the ejector yourself.
- Always wear appropriate safety gear, including eye protection, when handling firearms.
- Ensure that the firearm is unloaded before installing or handling the ejector.
- Be aware of your surroundings and ensure a safe environment when using firearms.
- Do not use the ejector with incompatible firearms or ammunition.

Instructions for Installation and Usage

1. Professional Installation Required

- Contact a Beretta qualified gunsmith to have the ejector fitted to your firearm.
- Ensure that the gunsmith follows all manufacturer guidelines during installation.

2. Before Use

- Confirm that the firearm is unloaded and pointed in a safe direction.
- Inspect the ejector for any visible defects or damage.

3. During Use

- Follow all standard firearm safety practices.
- Be mindful of the ejector's function during operation and ensure proper handling of the firearm.

4. Post Use Care

- Clean the ejector and firearm according to the manufacturer's recommendations.
- Store the ejector and firearm in a secure location, away from children and unauthorized users.

Disposal Instructions

- Dispose of the ejector in accordance with local regulations.
- Do not throw the ejector in regular household waste. Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the ejector, please reach out to your local Beretta qualified gunsmith or authorized dealer.

Conclusion

By following these safety instructions and guidelines, you can ensure safe and effective use of the EJECTOR, 28GA ON 20GA FRAME, RH, FINISHED. Always prioritize safety and consult professionals when needed. Thank you for your attention to these important safety measures.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at