

AR-15 QUICK RELEASE SLING SWIVELS - KNS PRECISION PARKERIZED FRONT SWIVEL STUD

[Shooting Accessories](#) > [Slings & Sling Swivels](#) > [Sling Swivel Studs](#)

Tough, Parkerized Finish, Greater Sling Attachment Options

Parkerized finish provides correct appearance; QD swivel studs have cross drilled mounting holes for vertical or side carry. Front swivel stud attaches to free float or A-2-style detachable handguards. Requires drilling a single mounting hole in free float tubes. Rear QD sling stud replaces fixed military-type without modification to stock. Uncle Mike's Quick Detachable Sling Swivels have a parkerized finish, accept 1-1/4" slings.



Attributes

- Name: [KNS PRECISION PARKERIZED FRONT SWIVEL STUD](#)
- Manufacturer: [KNS PRECISION](#)
- Product no.: 923000027
- Mfr. No.: FSLINGM
- Material: Steel
- Style: Rifle Swivels
- Delivery weight: 0.023kg
- Shipping height: 10mm
- Shipping width: 99mm
- Shipping length: 122mm
- UPC: 851876003110

Item details

Made in USA

Table of Contents

- Startpage
- AR15 Quick Release Sling Swivels Safety Instruction Guide
- About Us

AR15 Quick Release Sling Swivels Safety Instruction Guide

Introduction

Thank you for purchasing the AR15 Quick Release Sling Swivels by KNS Precision. This product is designed to enhance your shooting experience by providing a secure and versatile sling attachment point. To ensure safe and effective use of this product, please read this safety instruction guide carefully.

General Safety Guidelines

- Always ensure the firearm is unloaded before installing or adjusting the sling swivels.
- Inspect the sling swivels for any signs of damage or wear before each use.
- Use only compatible slings with a width of 11/4 inches to ensure proper fit and function.
- Keep the product out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.

Specific Safety Precautions for Use

- Ensure that the mounting holes for the QD swivel studs are drilled accurately to prevent improper installation.
- Do not exceed the weight limit of the sling or the swivels; check the manufacturer's specifications for maximum load capacity.
- Avoid using the sling swivels in extreme conditions (e.g., high humidity, extreme temperatures) that could affect their performance.
- Regularly check the tightness of the swivel studs to ensure they remain securely attached during use.
- If you experience any difficulty in operation or notice any unusual sounds during use, stop using the product immediately and inspect it for issues.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure the firearm is unloaded and in a safe condition.
2. **Drilling the Mounting Hole:**
 - For free float tubes, carefully drill a single mounting hole in the appropriate location based on your handguard style.
 - Ensure that the hole is aligned correctly for vertical or side carry.
3. **Attaching the Front Swivel Stud:**
 - Insert the QD swivel stud into the drilled hole and secure it tightly.
 - Ensure the stud is firmly in place and does not rotate.
4. **Replacing the Rear QD Sling Stud:**
 - Remove the fixed militarytype sling stud from the stock.
 - Replace it with the rear QD sling stud, ensuring a secure fit.
5. **Final Checks:**
 - Inspect both the front and rear swivel studs to confirm they are securely attached.
 - Test the swivels by attaching the sling and ensuring it operates smoothly.

Usage

- To attach the sling, simply insert the sling's hook into the QD swivel and rotate until it locks in place.
- To detach, press the release button on the swivel and pull the sling away from the swivel.
- Always ensure that the sling is properly secured before use.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal and plastic waste.
- If the product is damaged or no longer in use, ensure that it is not accessible to children or unauthorized individuals.

Contact Information for Further Support

For any inquiries or further assistance, please contact the manufacturer or your retailer. They can provide guidance on product usage, safety concerns, and warranty information.

Thank you for choosing the AR15 Quick Release Sling Swivels. Your safety and satisfaction are our top priorities. Please follow these guidelines to ensure a safe and enjoyable experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk