

SANDING BELTS - VSM ABRASIVES CORPORATION 320 GRIT 1 1/2" (3.8CM) X 18 15/16" (48.1CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 320 GRIT 1 1/2" \(3.8CM\) X 18 15/16" \(48.1CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925118320
- Mfr. No.: 100974
- Grit: 320
- Size: 1 1/2 x 18 15/16
- Delivery weight: 0.009kg
- Shipping height: 41mm
- Shipping width: 91mm
- Shipping length: 191mm

Table of Contents

- Startpage
- Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 320 GRIT
- About Us

Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 320 GRIT

Introduction

Thank you for choosing the SANDING BELTS VSM ABRASIVES CORPORATION 320 GRIT. This guide provides important safety instructions to ensure the safe use of the product. Please read this guide carefully before using the sanding belts.

General Safety Guidelines

- Ensure that the sanding belts are used only for their intended purpose.
- Always wear appropriate personal protective equipment (PPE), including safety goggles, dust masks, and gloves.
- Keep the work area clean and welllit to prevent accidents.
- Store the sanding belts in a cool, dry place away from direct sunlight and moisture.
- Regularly check the sanding belts for signs of wear or damage before use.

Specific Safety Precautions for Use

- Do not exceed the maximum operating speed indicated on the sanding belt.
- Avoid using the sanding belts on materials that could cause excessive heat or sparks.
- Ensure that the sanding belts are properly installed on the machine before use.
- Do not use the sanding belts if they are damaged or worn out.
- Keep hands and body away from the sanding area to prevent injury.

Instructions for Installation and Usage

1. Installation:

- Disconnect the power supply before installing the sanding belt.
- Remove any existing sanding belt from the machine.
- Align the new sanding belt with the rollers and ensure it fits correctly.
- Tension the sanding belt according to the manufacturer's instructions.
- Reconnect the power supply and perform a test run without load to ensure proper installation.

2. Usage:

- Adjust the speed settings of your machine according to the material being worked on.
- Hold the workpiece securely and use steady pressure while sanding.
- Avoid forcing the sanding belt against the workpiece; let the tool do the work.
- Regularly check the sanding belt for wear during use and replace if necessary.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste.
- Consider recycling options if available.

Contact Information for Further Support

For any safety inquiries or additional support regarding the SANDING BELTS VSM ABRASIVES CORPORATION 320

GRIT, please refer to the manufacturer's website or contact their customer service team.

Conclusion

By following these safety instructions, you can ensure a safe and effective sanding experience with the SANDING BELTS VSM ABRASIVES CORPORATION 320 GRIT. Your safety is our priority, and we appreciate your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk