

SANDING BELTS - VSM ABRASIVES CORPORATION 600 GRIT 1 1/2" (3.8CM) X 18 15/16" (38.1CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 600 GRIT 1 1/2" \(3.8CM\) X 18 15/16" \(38.1CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925118600
- Mfr. No.:
- Grit: 600
- Size: 1 1/2 x 18 15/16
- Delivery weight: 0.023kg
- Shipping height: 41mm
- Shipping width: 102mm
- Shipping length: 196mm

Table of Contents

- Startpage
- Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 600 GRIT 1 1/2" (3.8CM) X 18 15/16" (38.1CM)
- About Us

Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 600 GRIT 1 1/2" (3.8CM) X 18 15/16" (38.1CM)

Introduction

Thank you for choosing the VSM Abrasives Corporation Sanding Belts. These belts are designed for high performance sanding and finishing applications. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product.

General Safety Guidelines

- Always read and understand this safety guide before using the sanding belts.
- Ensure that the sanding belts are used in accordance with the manufacturer's instructions.
- Keep the workspace clean and well lit to reduce the risk of accidents.
- Use personal protective equipment (PPE) such as safety goggles, gloves, and dust masks to protect against dust and debris.
- Ensure that all electrical equipment used with the sanding belts is properly grounded and maintained.
- Store sanding belts in a dry, cool place away from direct sunlight and moisture.

Specific Safety Precautions for Use

- Inspect the sanding belt before each use for any signs of damage, wear, or defects. Do not use damaged belts.
- Ensure that the sanding belt is properly installed on the machine before use.
- Do not exceed the recommended operating speed of the sanding belt.
- Avoid contact with moving parts during operation to prevent injuries.
- Do not force the sanding belt into the workpiece; let the tool do the work.
- Keep hands and other body parts away from the sanding area while in operation.
- Be aware of the possibility of sparks and dust; ensure proper ventilation in the work area.
- Do not use the sanding belts for any purpose other than intended applications.

Instructions for Installation and Usage

1. Installation

- Ensure the machine is turned off and unplugged before installation.
- Remove any old or damaged sanding belts from the machine.
- Align the new sanding belt on the machine according to the manufacturer's instructions.
- Ensure that the belt is tensioned correctly and securely fastened.
- Doublecheck that the sanding belt is properly aligned and free of obstructions before turning on the machine.

2. Usage

- Plug in the machine and turn it on.
- Allow the machine to reach the appropriate speed before sanding.
- Begin sanding by applying light pressure to the workpiece, moving the belt across the surface in a controlled manner.
- Regularly check the sanding belt for wear and replace it as necessary.
- When finished, turn off the machine and unplug it before cleaning or adjusting the setup.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in household waste if they contain hazardous materials.
- Consider recycling options where available to minimize environmental impact.

Contact Information for Further Support

For any safety inquiries or concerns regarding the sanding belts, please contact the manufacturer directly. Ensure you have the product details ready for assistance.

Thank you for your attention to safety and proper usage of the VSM Abrasives Corporation Sanding Belts. Your adherence to these guidelines will help ensure a safe and efficient sanding experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk