

SANDING BELTS - VSM ABRASIVES CORPORATION 1" (2.5CM) X 30" (76CM) SANDING BELT, 120 GRIT

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 1" \(2.5CM\) X 30" \(76CM\) SANDING BELT, 120 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925130120
- Mfr. No.: 127799
- Grit: 120
- Size: 1 x 30
- Delivery weight: 0.014kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 315mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts
- About Us

Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts

Introduction

Thank you for choosing the VSM Abrasives Corporation 1" (2.5CM) x 30" (76CM) Sanding Belt, 120 Grit. This guide provides essential safety instructions to ensure the safe and effective use of this product. Please read this guide thoroughly before using the sanding belt.

General Safety Guidelines

- Ensure safe use of the sanding belt by following these guidelines:
 - Always wear appropriate personal protective equipment (PPE), such as safety goggles and dust masks, to protect against dust and debris.
 - Keep the workspace clean and free of clutter to avoid accidents.
 - Ensure proper ventilation in the workspace to minimize inhalation of dust.
 - Do not use the sanding belt for purposes other than those specified by the manufacturer.
 - Regularly inspect the sanding belt for signs of wear or damage before each use.

Specific Safety Precautions for Use

- When using the sanding belt, adhere to the following precautions:
 - Avoid direct contact with the sanding surface while it is in motion.
 - Do not exceed the recommended operating speed for the sanding belt.
 - Keep hands and loose clothing away from the sanding area to prevent entanglement.
 - Do not use the sanding belt on materials that may produce hazardous dust or fumes.
 - If the sanding belt becomes clogged, stop the machine and clean it according to the manufacturer's instructions.
 - In case of any unusual noise or vibration during operation, stop using the sanding belt immediately and inspect it for damage.

Instructions for Installation and Usage

- Follow these steps for proper installation and usage of the sanding belt:

1. Installation:

- Ensure the machine is turned off and unplugged before installation.
- Remove any old sanding belt from the machine.
- Align the new sanding belt with the rollers and ensure it is properly seated.
- Adjust the tension according to the manufacturer's specifications.
- Plug in the machine and perform a brief test run to ensure proper operation.

2. Usage:

- Position the material securely against the sanding belt.
- Apply even pressure while sanding to achieve a consistent finish.
- Monitor the sanding process closely and adjust the pressure as needed.
- After use, turn off the machine and unplug it before changing the sanding belt or performing maintenance.

Disposal Instructions

- Properly dispose of the sanding belt and any associated materials:
 - Do not dispose of the sanding belt in regular household waste.
 - Follow local regulations for the disposal of industrial waste and materials.
 - Consider recycling options for aluminum oxide materials where available.

Contact Information for Further Support

- For any safety inquiries or additional support, please contact the manufacturer or your local distributor. Ensure you have the product model and any relevant information ready for assistance.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience with the VSM Abrasives Corporation Sanding Belt. Always prioritize safety and proper usage to achieve the best results. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk