

SANDING BELTS - VSM ABRASIVES CORPORATION 1" (2.5CM) X 42" (106.7CM) SANDING BELT, 120 GRIT

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 1" \(2.5CM\) X 42" \(106.7CM\) SANDING BELT, 120 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925142120
- Mfr. No.: 1875
- Grit: 120
- Size: 1 x 42
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 97mm
- Shipping length: 457mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation 1" x 42" Sanding Belt, 120 Grit
- About Us

Safety Instruction Guide for VSM Abrasives Corporation 1" x 42" Sanding Belt, 120 Grit

Introduction

Thank you for choosing the VSM Abrasives Corporation Sanding Belt. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read and understand the information below to minimize risks and enhance your experience.

General Safety Guidelines

- Ensure that the sanding belt is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE) such as safety goggles, dust masks, and gloves.
- Keep the work area clean and welllit to avoid accidents.
- Store the sanding belt in a dry place away from direct sunlight and extreme temperatures.
- Regularly check the sanding belt for wear and damage before use.
- Follow the manufacturer's instructions for any tools or machines used with the sanding belt.

Specific Safety Precautions for Use

• Hazard Identification:

- Potential hazards include dust inhalation, cuts, and injuries from moving parts.
- Be aware of the risk of fire when sanding combustible materials.

• Avoiding Hazards:

- Use dust extraction systems or work in wellventilated areas to minimize dust exposure.
- Do not wear loose clothing or accessories that could become entangled in machinery.
- Keep hands and other body parts away from the sanding belt while it is in operation.
- Never use the sanding belt on materials that are not suitable for sanding.

• Age and Audience Specific Warnings:

- This product is not intended for use by children. Ensure that it is kept out of reach of minors.
- Individuals with reduced physical, sensory, or mental capabilities should use this product only under supervision or instruction.

Instructions for Installation and Usage

• Installation:

1. Ensure the power source is turned off before installation.
2. Remove any existing sanding belt from the machine.
3. Align the new sanding belt with the rollers and ensure it fits securely.
4. Adjust the tension according to the manufacturer's specifications.
5. Check that the sanding belt is properly aligned before turning on the machine.

• Usage:

1. Turn on the machine and allow the sanding belt to reach full speed before making contact with the material.

2. Apply even pressure while sanding to avoid uneven wear on the belt.
3. Do not force the sanding belt; let the tool do the work.
4. Regularly check the sanding belt during use for signs of wear or damage.
5. Turn off the machine and disconnect the power before making any adjustments or changing the sanding belt.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste.
- Consider recycling options for materials, if available.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the contact details provided with your product packaging or visit the manufacturer's website.

Conclusion

By following these safety instructions, you can ensure a safer working environment and a more effective use of the VSM Abrasives Corporation Sanding Belt. Always prioritize safety and stay informed about best practices. Thank you for your attention to these guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk