

SANDING BELTS - VSM ABRASIVES CORPORATION 1" (2.5CM) X 42" (106.7CM) SANDING BELT, 320 GRIT

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 1" \(2.5CM\) X 42" \(106.7CM\) SANDING BELT, 320 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925142320
- Mfr. No.: 2186
- Grit: 320
- Size: 1 x 42
- Delivery weight: 0.014kg
- Shipping height: 28mm
- Shipping width: 122mm
- Shipping length: 470mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation Sanding Belt
- About Us

Safety Instruction Guide for VSM Abrasives Corporation Sanding Belt

Introduction

Thank you for choosing the VSM Abrasives Corporation 1" x 42" Sanding Belt, 320 Grit. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully before using the sanding belt.

General Safety Guidelines

- Ensure safe use of the sanding belt by following all instructions and guidelines provided in this manual.
- Always wear appropriate personal protective equipment (PPE), including safety goggles and dust masks, to protect against dust and debris.
- Keep the working area clean and free from clutter to reduce the risk of accidents.
- Ensure that the sanding belt is compatible with your sander before use.
- Regularly check the sanding belt for damage or wear before each use. Do not use a damaged belt.
- Store the sanding belt in a dry and cool place, away from direct sunlight and moisture.

Specific Safety Precautions for Use

• Hazard Identification:

- Risk of injury from rotating machinery.
- Risk of inhalation of dust particles.
- Risk of skin irritation from contact with abrasive materials.

• Avoiding Hazards:

- Do not wear loose clothing or jewelry that may get caught in the sander.
- Ensure that all safety guards are in place and functioning properly before operating the sander.
- Do not operate the sander without proper training or supervision.
- Use the sanding belt only for its intended purpose; do not use it for materials other than those specified by the manufacturer.

Instructions for Installation and Usage

1. Installation:

- Disconnect the sander from the power source before installing the sanding belt.
- Remove the old sanding belt by loosening the tension and sliding it off the rollers.
- Place the new sanding belt onto the rollers, ensuring it is properly aligned.
- Adjust the tension according to the manufacturer's instructions to secure the sanding belt in place.
- Reconnect the sander to the power source after ensuring the belt is correctly installed.

2. Usage:

- Start the sander and allow it to reach full speed before making contact with the workpiece.
- Apply light, even pressure to the sanding belt while sanding; do not force the sander.
- Move the sander in a steady motion to avoid gouging the material.
- Frequently check the sanding belt for wear and replace it as needed.
- After use, turn off the sander and unplug it from the power source.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations for hazardous waste.
- Do not dispose of sanding belts in regular household waste.
- Consider recycling options for the materials if available in your area.

Contact Information for Further Support

For any safety inquiries or further assistance regarding the VSM Abrasives Corporation Sanding Belt, please contact the relevant local authority or consumer safety organization in your area.

By following these safety instructions, you can ensure a safe and effective experience while using your sanding belt. Always prioritize safety and report any unsafe products or accidents to the appropriate authorities. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk