

SANDING BELTS - VSM ABRASIVES CORPORATION 60 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 60 GRIT 2" \(5.0CM\) X 25 1/2" \(64.8CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925225060
- Mfr. No.:
- Grit: 60
- Size: 2 x 25 1/2
- Delivery weight: 0.041kg
- Shipping height: 53mm
- Shipping width: 132mm
- Shipping length: 254mm

Table of Contents

- Startpage
- Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 60 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)
- About Us

Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 60 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

Introduction

Thank you for choosing the SANDING BELTS VSM ABRASIVES CORPORATION 60 GRIT. This guide provides important safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the sanding belts.

General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always inspect the sanding belt for damage before use. Do not use if the belt is frayed or damaged.
- Keep the work area clean and welllit to avoid accidents.
- Use personal protective equipment (PPE) such as safety goggles, masks, and gloves to protect against dust and debris.
- Store the sanding belts in a cool, dry place away from direct sunlight and moisture.
- Be aware of the risks associated with sanding, including inhalation of dust and potential eye injuries.

Specific Safety Precautions for Use

- Do not exceed the maximum operating speed of the sanding belt.
- Ensure that the sanding belt is securely attached to the machine before use.
- Avoid wearing loose clothing or jewelry that may get caught in the machinery.
- Do not operate the sanding belt if you are fatigued or under the influence of drugs or alcohol.
- Keep hands and other body parts away from the sanding area while the machine is in operation.
- If you experience any unusual noise or vibration while using the sanding belt, stop the machine immediately and inspect it.

Instructions for Installation and Usage

1. Installation:

- Ensure that the machine is turned off and unplugged before installation.
- Remove any previous sanding belt from the machine.
- Align the new sanding belt with the rollers and ensure it is properly seated.
- Adjust the tension of the sanding belt according to the manufacturer's specifications.
- Plug in the machine and perform a test run to ensure proper installation.

2. Usage:

- Turn on the machine and allow it to reach full speed before beginning to sand.
- Apply even pressure while sanding to achieve a consistent finish.
- Do not force the sanding belt; let the tool do the work.
- Regularly check the sanding belt for wear and replace it as necessary.
- After use, turn off the machine and unplug it before performing any maintenance.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste if they contain hazardous materials.

- Check with your local waste management authority for specific disposal guidelines.

Contact Information for Further Support

For any safety inquiries or concerns regarding the SANDING BELTS VSM ABRASIVES CORPORATION 60 GRIT, please refer to the manufacturer's contact details provided on the product packaging or visit their official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective experience while using the SANDING BELTS VSM ABRASIVES CORPORATION 60 GRIT. Always prioritize safety and do not hesitate to seek assistance if needed. Thank you for your attention and safe sanding!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk