

SANDING BELTS - VSM ABRASIVES CORPORATION 80 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 80 GRIT 2" \(5.0CM\) X 25 1/2" \(64.8CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925225080
- Mfr. No.: 96744
- Grit: 80
- Size: 2 x 25 1/2
- Delivery weight: 0.023kg
- Shipping height: 51mm
- Shipping width: 140mm
- Shipping length: 249mm

Table of Contents

- Startpage
- Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 80 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)
- About Us

Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 80 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

Introduction

Thank you for choosing the VSM Abrasives Corporation Sanding Belts. This guide provides essential safety instructions and guidelines to ensure safe and effective use of the product. Please read and follow all instructions carefully to minimize risks and ensure optimal performance.

General Safety Guidelines

- Always use the sanding belts in accordance with the manufacturer's instructions.
- Ensure that the sanding belts are suitable for the intended use and compatible with your equipment.
- Inspect the sanding belts for any damage or wear before each use. Do not use damaged belts.
- Keep the workspace clean and free of any hazards that could lead to accidents.
- Use personal protective equipment (PPE) such as gloves, goggles, and masks to protect against dust and debris.
- Ensure proper ventilation in the workspace to avoid inhalation of dust particles.
- Store sanding belts in a cool, dry place away from direct sunlight and moisture.

Specific Safety Precautions for Use

- **Risk of Injury:**

- The sanding belts can create sharp edges and produce flying debris. Use caution to avoid cuts and injuries.

- **Dust Exposure:**

- Sanding generates dust that may be harmful if inhaled. Use a dust extraction system or wear a dust mask.

- **Equipment Compatibility:**

- Make sure that the sanding belts are compatible with your sanding machine to prevent accidents.

- **Children and Vulnerable Groups:**

- Keep sanding belts out of reach of children. Ensure that only trained adults handle and operate the equipment.

Instructions for Installation and Usage

1. **Preparation:**

- Before installation, ensure that the sanding machine is turned off and unplugged.
 - Gather necessary tools and personal protective equipment.

2. **Installation:**

- Remove any old or worn sanding belts from the machine.

- Align the new sanding belt with the rollers of the machine, ensuring it fits properly.
- Tension the sanding belt according to the manufacturer's specifications to ensure proper operation.
- Check that the sanding belt is securely attached before starting the machine.

3. Usage:

- Turn on the sanding machine and allow it to reach full speed before making contact with the workpiece.
- Apply even pressure to the sanding belt while working. Avoid pressing too hard, as this can cause damage to the belt and the workpiece.
- Regularly check the sanding belt for signs of wear or damage during use.
- When finished, turn off the machine and allow it to come to a complete stop before removing the sanding belt.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste if they are considered hazardous.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the sanding belts, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website.

By following these safety instructions, you can ensure a safer working environment and maximize the performance of your VSM Abrasives Corporation Sanding Belts. Always prioritize safety and stay informed about best practices for using abrasive products.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk