

SANDING BELTS - VSM ABRASIVES CORPORATION 220 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 220 GRIT 2" \(5.0CM\) X 25 1/2" \(64.8CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925225220
- Mfr. No.: 91448
- Grit: 220
- Size: 2 x 25 1/2
- Delivery weight: 0.018kg
- Shipping height: 53mm
- Shipping width: 112mm
- Shipping length: 264mm

Table of Contents

- Startpage
- Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 220 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)
- About Us

Safety Instruction Guide for SANDING BELTS VSM ABRASIVES CORPORATION 220 GRIT 2" (5.0CM) X 25 1/2" (64.8CM)

Introduction

Thank you for choosing the VSM Abrasives Corporation Sanding Belts. This guide provides essential safety instructions to ensure safe and effective use of the product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always wear appropriate personal protective equipment (PPE), including safety goggles, gloves, and a dust mask.
- Keep the work area clean and welllit to minimize risks.
- Ensure that children and pets are kept away from the work area during use.
- Follow all local regulations regarding the disposal of used sanding belts.

Specific Safety Precautions for Use

- Avoid using the sanding belt on materials that exceed the recommended specifications.
- Do not exceed the maximum operating speed of the sanding belt.
- Inspect the sanding belt before each use for any signs of wear or damage.
- If the sanding belt becomes damaged, discontinue use immediately and replace it.
- Ensure that the sanding belt is securely attached to the machine before operating.
- Do not use the sanding belt if it shows signs of excessive wear or if it is not functioning correctly.
- Always use the sanding belt with the appropriate machine as specified by the manufacturer.

Instructions for Installation and Usage

1. Installation

- Ensure the machine is unplugged before installation.
- Remove any old or damaged sanding belt from the machine.
- Align the new sanding belt with the machine's rollers according to the manufacturer's instructions.
- Secure the sanding belt in place, ensuring it is taut and properly aligned.
- Plug in the machine and perform a brief test run to ensure proper installation.

2. Usage

- Start the machine and allow it to reach full speed before applying the sanding belt to the workpiece.
- Apply even pressure to the workpiece, avoiding excessive force which may damage the belt or the material.
- Move the workpiece steadily against the sanding belt to achieve a uniform finish.
- Regularly check the sanding belt during use for signs of wear or damage.
- When finished, turn off the machine and allow the sanding belt to come to a complete stop before removing it from the workpiece.

Disposal Instructions

- Dispose of used sanding belts in accordance with local waste disposal regulations.
- Do not dispose of sanding belts in regular household waste if they contain hazardous materials.
- Consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer's website or contact your local distributor. Ensure you have the product details ready for efficient assistance.

By following these guidelines, you can ensure a safe and effective experience when using the VSM Abrasives Corporation Sanding Belts. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk