

SANDING BELTS - VSM ABRASIVES CORPORATION 2" (5.1CM) X 48" (121.9CM) SANDING BELT, 36 GRIT

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 2" \(5.1CM\) X 48" \(121.9CM\) SANDING BELT, 36 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925248036
- Mfr. No.: 86984
- Grit: 36
- Size: 2 x 48
- Delivery weight: 0.068kg
- Shipping height: 53mm
- Shipping width: 91mm
- Shipping length: 551mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts
- About Us

Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts

Introduction

Thank you for choosing the VSM Abrasives Corporation 2" x 48" Sanding Belt, 36 Grit. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this document carefully before using the sanding belt to prevent accidents and injuries.

General Safety Guidelines

- Always inspect the sanding belt before use. Do not use if damaged or worn.
- Keep the workspace clean and welllit to avoid accidents.
- Wear appropriate personal protective equipment (PPE) such as safety goggles, dust masks, and hearing protection.
- Ensure that the sanding belt is compatible with your sanding machine.
- Do not exceed the recommended operating speed for the sanding belt.
- Keep hands, hair, and clothing away from moving parts when the machine is in operation.
- Store the sanding belt in a dry place away from direct sunlight and moisture.

Specific Safety Precautions for Use

• Hazard Identification:

- Potential for dust inhalation: Use a dust mask to minimize inhalation of fine particles.
- Risk of skin irritation: Avoid direct contact with the sanding belt during operation.
- Noise exposure: Use hearing protection if operating in a loud environment.

• Avoiding Hazards:

- Always use the sanding belt in accordance with the manufacturer's specifications.
- Ensure that the sanding machine is turned off and unplugged when changing the sanding belt.
- Do not force the sanding belt into the workpiece; let the tool do the work.
- Monitor the temperature of the sanding belt during use. If it becomes excessively hot, stop and allow it to cool.

• Age or Audience Specific Warnings:

- This product is not intended for use by children. Keep out of reach of children.
- Ensure that inexperienced users are supervised by a qualified adult when using the sanding belt.

Instructions for Installation and Usage

• Installation:

1. Turn off and unplug the sanding machine before installation.
2. Remove the old sanding belt if applicable.
3. Align the new sanding belt with the machine's rollers.
4. Secure the sanding belt according to the manufacturer's instructions.
5. Ensure that the sanding belt is properly tensioned and aligned.

• Usage:

1. Plug in the sanding machine and turn it on.
2. Allow the sanding belt to reach full speed before making contact with the workpiece.
3. Apply light, even pressure to the workpiece. Do not apply excessive force.
4. Move the workpiece steadily against the sanding belt for a consistent finish.
5. Turn off the sanding machine and unplug it after use.

Disposal Instructions

- Dispose of used sanding belts in accordance with local waste disposal regulations.
- Do not burn sanding belts or dispose of them in a manner that could cause environmental harm.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any safety inquiries or additional support, please refer to the manufacturer's contact information provided on the product packaging or the official website.

By following these safety instructions, you can ensure a safe and effective experience with your VSM Abrasives Corporation Sanding Belt. Stay safe and happy sanding!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk