

SANDING BELTS - VSM ABRASIVES CORPORATION 2" (5.1CM) X 48" (121.9CM) SANDING BELT, 60 GRIT

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 2" \(5.1CM\) X 48" \(121.9CM\) SANDING BELT, 60 GRIT](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925248060
- Mfr. No.:
- Grit: 60
- Size: 2 x 48
- Delivery weight: 0.073kg
- Shipping height: 51mm
- Shipping width: 36mm
- Shipping length: 551mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation Sanding Belt
- About Us

Safety Instruction Guide for VSM Abrasives Corporation Sanding Belt

Introduction

Thank you for choosing the VSM Abrasives Corporation 2" (5.1CM) x 48" (121.9CM) Sanding Belt, 60 Grit. This guide provides essential safety instructions to ensure the safe use of the product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the sanding belt.

General Safety Guidelines

- **Product Safety:** This sanding belt is designed for safe use in nonfood applications. Ensure you follow all safety guidelines to minimize risks.
- **Enhanced Recalls:** In the event of a recall, you will be informed through standardized notices. You are entitled to free remedies for any dangerous products.
- **Online Shopping:** If purchased online, the same safety protections apply as if bought from a physical store. Ensure the online platform meets safety requirements.
- **Special Consumer Focus:** Extra precautions are advised for vulnerable groups, including children. Keep this product out of reach of children.
- **EU Contact Point:** For any safety inquiries, please refer to the EU-based contact provided by the seller.
- **Rapid Alerts:** Stay informed about unsafe products through the Safety Gate system. Regularly check for updates.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), including safety goggles and a dust mask, while using the sanding belt.
- Ensure that the sanding belt is compatible with your sanding machine before use.
- Do not use the sanding belt for any purpose other than its intended use.
- Inspect the sanding belt for any damage or wear before each use. Do not use if damaged.
- Avoid contact with the sanding belt while it is in motion to prevent injuries.
- Keep hands and other body parts clear of the sanding area during operation.
- Use the sanding belt in a well-ventilated area to minimize dust inhalation.
- Ensure that all safety guards and devices on the sanding machine are in place and functioning properly.

Instructions for Installation and Usage

1. Installation:

- Ensure the sanding machine is unplugged before installation.
- Remove any old or worn sanding belts from the machine.
- Align the new sanding belt with the machine's rollers, ensuring it fits securely.
- Tension the sanding belt according to the manufacturer's instructions.
- Plug in the sanding machine and perform a test run to ensure proper installation.

2. Usage:

- Start the sanding machine according to the manufacturer's instructions.
- Gently guide the material against the sanding belt, applying even pressure.
- Do not force the material; let the sanding belt do the work.
- Periodically check the sanding belt for wear and replace it as necessary.
- After use, turn off the sanding machine and unplug it before making any adjustments or removing the sanding belt.

Disposal Instructions

- Dispose of the sanding belt in accordance with local waste disposal regulations.
- Do not dispose of the sanding belt in regular household waste if it is deemed hazardous.
- Consider recycling options for the sanding belt if available in your area.

Contact Information for Further Support

For any questions or concerns regarding the VSM Abrasives Corporation Sanding Belt, please consult the contact information provided by the seller or manufacturer.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk