

SANDING BELTS - VSM ABRASIVES CORPORATION 220 GRIT 3" (7.6CM) X 25 7/32" (64CM)

[Gunsmith Tools](#) > [Metal Prep & Coloring](#) > [Abrasives](#) > [Sanding Belts](#)

To Fit Raytech Expanding Sanding Drums

About "Compact Grain" Belts - Aluminum Oxide Belts in super-fine grit (like 600) are only available in what the maker calls "Compact Grain". This process layers grit in a special adhesive and greatly increases belt life. Compact grain belts are easily identified; they are ugly! The 600 grit belt shown looks like it should be a 60 grit but IT ISN'T. It really will give a 600 grit finish and will last extremely well. Resin bonded, aluminum oxide. Sold singly.



Attributes

- Name: [VSM ABRASIVES CORPORATION 220 GRIT 3" \(7.6CM\) X 25 7/32" \(64CM\)](#)
- Manufacturer: [VSM ABRASIVES CORPORATION](#)
- Product no.: 925325220
- Mfr. No.: 79849
- Grit: 220
- Size: 3 x 25 7/32
- Delivery weight: 0.023kg
- Shipping height: 79mm
- Shipping width: 99mm
- Shipping length: 269mm

Table of Contents

- Startpage
- Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts
- About Us

Safety Instruction Guide for VSM Abrasives Corporation Sanding Belts

Introduction

Thank you for choosing the VSM Abrasives Corporation 220 Grit Sanding Belts. This guide provides essential safety instructions to ensure the safe use of this product. Please read through this document carefully to familiarize yourself with the safety guidelines, precautions, and proper usage instructions.

General Safety Guidelines

- Always wear appropriate personal protective equipment (PPE) such as safety goggles, gloves, and a dust mask when using sanding belts.
- Ensure that the work area is clean and wellventilated to minimize dust inhalation and ensure a safe working environment.
- Keep all tools and equipment in good working condition to avoid accidents.
- Do not use the sanding belts for purposes other than those intended.
- Ensure that the sanding belt is compatible with your sanding machine before use.
- Follow all manufacturer instructions for your sanding machine to ensure proper operation.

Specific Safety Precautions for Use

• Hazard Identification:

- Risk of inhalation of dust particles generated during sanding.
- Risk of skin irritation from contact with the sanding belt.
- Risk of injury from the sanding machine if not used properly.

• Avoiding Hazards:

- Use a dust extraction system or vacuum to minimize dust exposure.
- Do not touch the sanding belt while it is in motion.
- Ensure the sanding belt is installed correctly to avoid slippage during operation.
- Do not operate the sanding machine if you are tired or under the influence of substances that may impair your judgment.

Instructions for Installation and Usage

1. Installation:

- Ensure that the sanding machine is unplugged before installation.
- Remove the old sanding belt, if applicable, by following the manufacturer's instructions.
- Align the new sanding belt with the rollers and ensure it is centered.
- Tension the sanding belt according to the manufacturer's specifications to avoid slippage.
- Plug in the sanding machine and perform a test run to ensure proper installation.

2. Usage:

- Always start the sanding machine before bringing the sanding belt into contact with the workpiece.
- Apply light pressure to the workpiece; excessive pressure can lead to premature wear of the sanding belt.
- Move the sanding belt uniformly across the surface of the workpiece to achieve a consistent finish.

- Stop the machine and inspect the sanding belt periodically for wear or damage.

Disposal Instructions

- Dispose of used sanding belts in accordance with local regulations.
- Do not dispose of sanding belts in regular household waste if they contain hazardous materials.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the use of this product, please contact the manufacturer directly. Ensure you have the product details available for reference.

By following these safety instructions, you can ensure a safe and effective experience while using the VSM Abrasives Corporation Sanding Belts. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk