

RUGER® MK II™ TL 2000 REAR SIGHT - VOLQUARTSEN TL 2000 SIGHT

[Handgun Parts](#) > [Sights](#) > [Rear Sights](#)

Precision Machined For Match Accuracy

All components are CNC milled from a solid steel billet to ensure accurate, repeatable click adjustments for windage and elevation. The serrated rear leaf features a slight reverse angle to reduce glare and improve sight picture. Fully compatible with the factory front sight on Mk I and Mk II™ pistols. Fits Ruger® 22 pistols equipped with factory adjustable rear sight. No fitting required, uses factory dovetail; locks in place with two set screws.



Attributes

- Name: [VOLQUARTSEN TL 2000 SIGHT](#)
- Manufacturer: [VOLQUARTSEN](#)
- Product no.: 930000011
- Mfr. No.: VC2TL
- Model: Mark I, Mark II
- Sight Color: Black
- Style: Adjustable, Factory Replacement, Target
- Weapon type: Ruger
- Delivery weight: 0.036kg
- Shipping height: 10mm
- Shipping width: 122mm
- Shipping length: 193mm
- UPC: 810162011734

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [RUGER® MK II™ TL 2000 Rear Sight Safety Instruction Guide](#)
- [About Us](#)

RUGER® MK II™ TL 2000 Rear Sight Safety Instruction Guide

Introduction

Thank you for choosing the RUGER® MK II™ TL 2000 Rear Sight by VOLQUARTSEN. This guide provides important safety instructions and information to ensure the proper installation and use of your new rear sight. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the operation of your firearm before installing or using the rear sight.
- Always treat your firearm as if it is loaded.
- Keep the firearm pointed in a safe direction at all times.
- Store the rear sight and all firearm accessories in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the rear sight and firearm for any signs of wear or damage.
- If you encounter any issues with the rear sight, do not use it until you have resolved the problem.

Specific Safety Precautions for Use

- Only use the RUGER® MK II™ TL 2000 Rear Sight with compatible Ruger® 22 pistols equipped with factory adjustable rear sights.
- Ensure that the rear sight is properly secured with the set screws before using the firearm.
- Do not attempt to modify or alter the rear sight in any way.
- Avoid using the rear sight in adverse weather conditions that may affect visibility or performance.
- Always wear appropriate eye and ear protection when handling firearms.

Instructions for Installation and Usage

1. Installation

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing rear sight from your Ruger® pistol.
- Align the RUGER® MK II™ TL 2000 Rear Sight with the factory dovetail.
- Secure the sight in place using the two set screws provided.
- Check that the sight is firmly in place and does not move.

2. Usage

- Familiarize yourself with the sight picture and adjustments for windage and elevation.
- Practice aiming and firing in a controlled environment to ensure proper alignment and accuracy.
- Always ensure that the sight remains clean and free from obstructions for optimal performance.

Disposal Instructions

- When disposing of the rear sight, follow local regulations regarding the disposal of metal components.
- Do not dispose of the rear sight in regular household waste.
- Consider recycling the metal components if facilities are available in your area.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the RUGER® MK II™ TL 2000 Rear Sight, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for your attention to these safety guidelines. Enjoy your shooting experience with the RUGER® MK II™ TL 2000 Rear Sight.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk