

JAG WITH FELT PAD 12 GAUGE

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

A Cleaning Jag Enhanced With Felt Pads

Designed for today's 12- and 20-gauge shotguns, Shooter's Choice developed a unique line of its Pierce Point Cleaning Jags complete with a felt pad that aids in providing a better clean when used with proper patches. Each Shooter's Choice cleaning jag is machined from solid brass to the exact dimensions needed to ensure a tight fit in the bore, which is needed to wipe out fouling effectively. The brass construction won't mar your gun's bore, and the jag fits all standard 5/16-27 threaded cleaning rods. Best of all, the jags are made right here in the USA.



Attributes

- Name: [JAG WITH FELT PAD 12 GAUGE](#)
- Manufacturer: [SHOOTERS CHOICE](#)
- Product no.: 934000024
- Mfr. No.: SHF-J12
- Caliber: 12 Gauge
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 64mm
- Shipping length: 114mm
- UPC: 027784000590

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instructions for JAG WITH FELT PAD 12 GAUGE](#)
- [About Us](#)

Safety Instructions for JAG WITH FELT PAD 12 GAUGE

Introduction

Thank you for choosing the JAG WITH FELT PAD 12 GAUGE by Shooter's Choice. This product is designed to enhance the cleaning of your 12 and 20gauge shotguns. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

General Safety Guidelines

- Always use the product as intended and follow all instructions.
- Ensure that the firearm is unloaded before using the cleaning jag.
- Store the product out of reach of children and vulnerable individuals.
- Regularly inspect the cleaning jag for any signs of wear or damage before use.
- Report any unsafe conditions or incidents to the appropriate authorities.
- Check the EU's Safety Gate platform for any recall updates regarding this product.

Specific Safety Precautions for Use

- Use the cleaning jag only with 12 and 20gauge shotguns.
- Ensure that the cleaning rod used is compatible with the 5/1627 threaded cleaning jags.
- Always wear safety glasses when cleaning firearms to protect your eyes from debris.
- Avoid using excessive force when inserting or removing the jag from the bore to prevent damage.
- Do not use the cleaning jag for any purpose other than its intended use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your shotgun is completely unloaded.
- Gather all necessary materials: cleaning jag, cleaning rod, patches, and cleaning solvent.

2. Attaching the Cleaning Jag:

- Take the cleaning rod and ensure it is clean and free from obstructions.
- Screw the JAG WITH FELT PAD onto the cleaning rod by aligning the threads and turning clockwise until secure.

3. Using the Cleaning Jag:

- Moisten the cleaning patch with the appropriate cleaning solvent.
- Place the moistened patch onto the felt pad of the jag.
- Insert the jag into the bore of the shotgun gently and push it through the barrel.
- Pull the jag out carefully, ensuring that the patch is removed with it.
- Repeat the process until the bore is clean, checking the patch for fouling.

4. PostCleaning:

- After cleaning, detach the jag from the cleaning rod by turning it counterclockwise.
- Clean the jag and rod with a suitable solvent and store them in a safe place.

Disposal Instructions

- Dispose of any used cleaning patches and solvents according to local regulations.
- Do not dispose of the product in regular household waste. Check local guidelines for proper disposal methods for brass products.

Contact Information for Further Support

For any inquiries regarding the safety and use of this product, please refer to the manufacturer's contact information found on the packaging or the official website.

Thank you for prioritizing safety while using the JAG WITH FELT PAD 12 GAUGE. Enjoy your experience and maintain your firearm responsibly.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at