

AR .308 BOLT & GAS RINGS - SPRINCO USA AR .308 BOLT RING/GAS RING 3-PK

[Rifle Parts](#) > [Bolt Parts](#) > [Gas Rings](#)

AR .308 bolt/gas rings available in a 3 or 9 pack.



Attributes

- Name: [SPRINCO USA AR .308 BOLT RING/GAS RING 3-PK](#)
- Manufacturer: [SPRINCO USA](#)
- Product no.: 943000071
- Mfr. No.: 84338
- Weapon type: AR .308
- Delivery weight: 0.005kg
- Shipping height: 51mm
- Shipping width: 3mm
- Shipping length: 64mm
- UPC: 657780843381

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for AR .308 Bolt & Gas Rings
- About Us

Safety Instruction Guide for AR .308 Bolt & Gas Rings

Introduction

Thank you for choosing the AR .308 Bolt & Gas Rings by SPRINCO USA. This product is designed to enhance the performance of your firearm while ensuring safety during use. Please read this safety instruction guide carefully to ensure the safe and effective use of the product.

General Safety Guidelines

- Always handle firearms with care and respect.
- Ensure you are familiar with the operation and safety features of your firearm before using this product.
- Store the product in a safe, dry place away from children and unauthorized users.
- Regularly inspect the product for wear and damage before use.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use only with compatible AR .308 firearms to avoid malfunctions.
- Do not modify the gas rings or bolt rings in any way.
- Ensure that the firearm is unloaded before installing or replacing the gas rings.
- Wear appropriate safety gear, such as eye protection, when handling firearms.
- Keep fingers away from the trigger until you are ready to shoot.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather necessary tools for installation (if required).

2. Installation of Gas Rings:

- Remove the bolt from the firearm.
- Carefully remove the old gas rings from the bolt.
- Clean the area where the gas rings are installed to ensure proper fit.
- Install the new gas rings by sliding them onto the bolt, ensuring they are seated properly.

3. Reassembly:

- Reinsert the bolt into the firearm.
- Conduct a function check to ensure the bolt operates smoothly.

4. Usage:

- Follow standard operating procedures for your firearm when shooting.
- Monitor the performance of the gas rings during use; replace if damaged or worn.

Disposal Instructions

- Dispose of any old or damaged gas rings in accordance with local regulations.
- Do not dispose of the product in regular household waste. Check for local recycling options or hazardous

waste disposal guidelines.

Contact Information for Further Support

For safety inquiries or further assistance, please contact your local distributor or the manufacturer directly. Ensure to have your product details available for reference.

By following these guidelines, you can ensure the safe use of the AR .308 Bolt & Gas Rings. Your safety is our priority, and we appreciate your commitment to responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk