

QUAD LOCK RINGS - 1" MEDIUM, MATTE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Four Caps Give Double The Holding Power

Two caps per base provide twice the clamping power. 210° coverage provides even clamping pressure that pulls scope into base, prevents scope from rotating when tightening caps. Aluminum construction keeps weight to a minimum.



Attributes

- Name: [1" MEDIUM, MATTE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000004
- Mfr. No.: 49046
- Finish: Matte Black
- Height: .160"
- Scope Tube Diameter: 1"
- Size: Medium
- Style: Weaver-Style Rings
- Delivery weight: 0.068kg
- Shipping height: 28mm
- Shipping width: 94mm
- Shipping length: 119mm
- UPC: 076683490469

Table of Contents

- Startpage
- QUAD LOCK RINGS 1" MEDIUM, MATTE Safety Instruction Guide
- About Us

QUAD LOCK RINGS 1" MEDIUM, MATTE Safety Instruction Guide

Introduction

Thank you for choosing the QUAD LOCK RINGS 1" MEDIUM, MATTE. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure the product is suitable for your specific scope and base type before installation.
- Regularly check the rings for signs of wear or damage. Replace if necessary.
- Use the product only for its intended purpose. Misuse can lead to accidents or injury.
- Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- In case of any safety concerns or product issues, report them to the appropriate authorities.

Specific Safety Precautions for Use

- Always ensure that the scope is properly secured before use to prevent it from moving or rotating.
- When tightening the caps, apply even pressure to avoid damaging the scope or the rings.
- Do not exceed the recommended torque settings as this may cause damage to the rings or scope.
- Avoid using the product in extreme temperatures or conditions that may affect its performance.
- If you notice any unusual behavior or performance issues, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench and appropriate screwdrivers.
- Ensure the installation area is clean and free from debris.

2. Installation

- Place the base of the scope on the rifle or mounting surface.
- Align the QUAD LOCK RINGS over the scope tube and the base.
- Insert the screws through the caps and into the base, ensuring they are correctly positioned.
- Tighten the screws gradually, alternating between them to ensure even clamping pressure.

3. Tightening

- Use a torque wrench to tighten the screws to the manufacturer's specified torque setting. For the QUAD LOCK RINGS, ensure that you do not exceed the recommended torque.
- Check that the scope is securely held in place and that there is no movement when gently trying to rotate it.

4. Final Check

- After installation, visually inspect the rings to ensure they are securely fastened.
- Test the scope alignment before taking it to the field.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product with general waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any questions or concerns regarding the QUAD LOCK RINGS 1" MEDIUM, MATTE, please consult the manufacturer's website or contact their customer service for assistance.

By following these safety guidelines and instructions, you can ensure the proper use of your QUAD LOCK RINGS while minimizing risks and ensuring a safe experience. Thank you for your attention to these important safety practices.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at