

QUAD LOCK RINGS - 1" HIGH EXT. MATTE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Four Caps Give Double The Holding Power

Two caps per base provide twice the clamping power. 210° coverage provides even clamping pressure that pulls scope into base, prevents scope from rotating when tightening caps. Aluminum construction keeps weight to a minimum.



Attributes

- Name: [1" HIGH EXT. MATTE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000006
- Mfr. No.: 49048
- Finish: Matte Black
- Height: .328"
- Scope Tube Diameter: 1"
- Size: High
- Style: Weaver-Style Rings
- Delivery weight: 0.068kg
- Shipping height: 28mm
- Shipping width: 94mm
- Shipping length: 119mm
- UPC: 076683490483

Table of Contents

- Startpage
- Safety Instruction Guide for QUAD LOCK RINGS 1" HIGH EXT. MATTE
- About Us

Safety Instruction Guide for QUAD LOCK RINGS 1" HIGH EXT. MATTE

Introduction

Thank you for purchasing the QUAD LOCK RINGS 1" HIGH EXT. MATTE. This product is designed to provide reliable clamping power for your scope. In order to ensure your safety and the safe use of this product, please read and follow the instructions and guidelines provided in this manual.

General Safety Guidelines

- Always ensure that the scope rings are compatible with your scope and base before installation.
- Inspect the product for any visible damage or defects before use. Do not use if damaged.
- Keep this product out of reach of children and vulnerable individuals.
- Use only as intended; misuse may result in injury or damage to equipment.
- Report any unsafe conditions or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that the clamping pressure is evenly distributed across the scope to avoid damage.
- Do not overtighten the caps, as this may lead to deformation of the scope or rings.
- Regularly check the tightness of the rings after installation, especially after use.
- Avoid using the product in extreme conditions (e.g., excessive heat, cold, or humidity) that may affect performance.
- Follow the manufacturer's recommendations regarding the weight limits and specifications of the scope.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench if available.
- Ensure the installation area is clean and free of debris.

2. Installation:

- Place the scope in the rings and align it to your desired position.
- Position the rings onto the base, ensuring they are securely seated.
- Start tightening the caps on the rings. Alternate between caps to maintain even pressure.
- Use a torque wrench to tighten to the manufacturer's recommended specifications, if applicable.

3. PostInstallation Check:

- After installation, check to ensure that the scope is securely mounted and does not rotate.
- Test the clamping pressure by gently trying to rotate the scope. If it moves, retighten the caps.

4. Usage:

- Regularly check the scope rings during use, especially after heavy recoil or movement.
- If any movement or looseness is detected, stop using the equipment and retighten as necessary.

Disposal Instructions

- Dispose of this product in accordance with local regulations.

- Do not dispose of in household waste; check for recycling options available in your area.
- Ensure that any packaging materials are also disposed of responsibly.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product issues, please refer to the manufacturer's contact information provided with your product. It is important to have access to support for any concerns you may encounter.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at