

SURE-GRIP RINGS - 1" X-HIGH GLOSS RINGS

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Give Uniform High-Strength Clamping Power

Steel caps with two screws per side provide extra strong, 4-screw, clamping power. Helps ensure that reticle stays square while tightening top screws. Large clamp nut locks rings to base, provides easy scope installation, removal; and accurate return to zero after re-installation.



Attributes

- Name: [1" X-HIGH GLOSS RINGS](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000011
- Mfr. No.: 49162
- Finish: Gloss Black
- Height: .560"
- Scope Tube Diameter: 1"
- Size: Extra High
- Style: Weaver-Style Rings
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 117mm
- Shipping length: 132mm
- UPC: 076683491626

Item details

Made in USA

Table of Contents

- Startpage
- SUREGRIP RINGS 1" XHIGH GLOSS RINGS Safety Instruction Guide
- About Us

SUREGRIP RINGS 1" XHIGH GLOSS RINGS Safety Instruction Guide

Introduction

Thank you for choosing the SUREGRIP RINGS 1" XHIGH GLOSS RINGS. This product is designed to provide secure and reliable mounting for your scope. Please read this safety instruction guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure that all products are used in accordance with the manufacturer's instructions.
- Always inspect the product before use. Check for any signs of damage or wear.
- Keep the product out of reach of children and vulnerable individuals.
- In case of any issues or concerns, report unsafe products to the authorities.
- Stay informed about product recalls by checking the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Ensure that the scope rings are installed on a compatible base. Improper installation may lead to scope misalignment or detachment.
- **Tightening Screws:** When tightening the screws, ensure that you do not overtighten, which could strip the screws or damage the product.
- **Weight Limit:** Do not exceed the recommended weight limit for the scope being mounted. Excessive weight can compromise the integrity of the rings.
- **Environmental Considerations:** Avoid exposure to extreme temperatures and moisture, which can affect the performance of the rings.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: a screwdriver compatible with the screws provided.
- Ensure that the mounting surface is clean and free from debris.

2. Installation:

- Align the SUREGRIP RINGS with the base of your scope.
- Insert the screws into the designated holes on the rings.
- Tighten the screws gradually, alternating between screws to ensure even pressure.
- Once all screws are secure, check that the scope is level and properly aligned.

3. Usage:

- After installation, verify that the scope is securely attached by gently attempting to move it.
- Always check the alignment of the reticle before use to ensure accuracy.
- If adjustments are needed, loosen the screws slightly, realign the scope, and retighten.

Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Consider recycling options for metal and plastic components.

Contact Information for Further Support

For any inquiries regarding safety or product performance, please refer to the manufacturer's contact details provided with the product packaging.

By following these guidelines, you can ensure the safe and effective use of the SUREGRIP RINGS 1" XHIGH GLOSS RINGS. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at