

# GRAND SLAM BASES - S35 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

## Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooey - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin - MR-7, F/extension. S402: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Musgrave - Mark I, Mark II. S54: Rear; S402: Front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears - 53, F/extension. S402: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. Winchester - 670, 770, F/extension. S402: Front. S45 Base fits CIL - 972-C. S45: Rear; S46: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57. S45: Rear; S46: Front. Colt - 57 F/extension. S45: Rear; S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. Herter's - J-9 FN action, F/extension. S45: Rear; S402: Front. Knight - LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser - 455. S45: Rear; S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - Viscount. S45: Rear. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Springfield - 03-A3. S45: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschutz - 1568. S61: Rear; S46: Front. Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 972-C. S45: Rear; S46: Front. Colt - 57. S45: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. High Standard - Hi-Power. S55: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Mauser - 455. S45: Rear; S46: Front. Mauser - Bauer 3000, 4000. S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Navy Arms - Country Boy. S46: Front & Rear. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Sears - 51L. S55: Rear; S46: Front. Sears - 53. S47: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Stevens - 110E. S61: Rear; S46: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester - 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester - E2 Hole spacing same. S46: Front & Rear/ Winchester - 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning - A-Bolt after 1996. S47: Rear. Browning - A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning - BBR long & short action. S47: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Ruger - 44 mag Deer Stalker, 96/44. S47: Rear. Sears - 53. S47: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester - 70 LA, Magnum rifles. S54 Base fits Browning - BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt - Coltsman LA round receiver. S54: Front & Rear. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Springfield - '03. S54: Rear; S55: Front. S55 Base fits High Standard - Hi-Power. S55: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Mauser - Mark X. S55: Rear. Mossberg - 680, 695, 800. S55: Front & Rear. Sears - 51L. S55: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Springfield - '03. S54: Rear; S55: Front. Westernfield - 770, 775, 780. S55: Front & Rear. S61 Base fits Anschutz - 1568. S61: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. Ithaca - LSA-55, LSA-65. S61: Front & Rear. Knight - MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako - Whitetail Hunter. S61: Front & Rear. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen - Flat Top Receiver. S61: Front & Rear. Stevens - 110E. S61: Rear; S46: Front. Tikka - Flat Receiver. S61: Front & Rear.

## Attributes

- Name: [S35 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000023
- Mfr. No.: 48224
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: BSA,Churchill,Colt,Enfield,Herters,Howa,Mossberg,Raptor Arms,Remington,Sig Sauer,Smith & Wesson,Weatherby
- Material: Steel
- Model: 1500,1550,1600,1700,200,40-XL,700,721,725,78,Highlander,Mark V,Monarch,Remington 700 Long Action Style,Remington 721 Style,Sauer,U-9,Vanguard,700 Long Action Style,798
- Model Number: S35
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.023kg
- Shipping height: 15mm
- Shipping width: 43mm
- Shipping length: 61mm
- UPC: 076683482242

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for GRAND SLAM BASES S35 GRAND SLAM BASE
- About Us

# Safety Instruction Guide for GRAND SLAM BASES S35 GRAND SLAM BASE

## Introduction

Thank you for choosing the GRAND SLAM BASES S35 GRAND SLAM BASE. This guide provides essential safety instructions to ensure safe use and installation of this product. It is important to follow these guidelines to prevent accidents and ensure optimal performance.

## General Safety Guidelines

- Always read and understand the product manual before use.
- Ensure that the product is suitable for your specific firearm model.
- Inspect the product for any damage before installation and use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to local authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Only use the GRAND SLAM BASES S35 with compatible firearms as listed in the product specifications.
- Ensure that all screws and mounting hardware are securely tightened before using the firearm.
- Avoid using the firearm in wet or damp conditions, as this may affect the integrity of the bases.
- Regularly inspect the bases for wear and tear, and replace them if any damage is found.
- Do not modify or alter the bases in any way.

## Instructions for Installation and Usage

### Installation Steps

- Gather Tools:** Ensure you have the necessary tools for installation, including a screwdriver and any required mounting hardware.
- Prepare the Firearm:** Ensure the firearm is unloaded and pointed in a safe direction.
- Align the Base:** Position the GRAND SLAM BASE on the firearm's receiver according to the specifications for your model.
- Secure the Base:** Use the provided screws to secure the base firmly to the firearm. Ensure that all screws are tightened to prevent movement during use.
- Install Scope:** Follow the manufacturer's instructions to attach your scope to the installed bases.
- Final Check:** Inspect the installation to ensure everything is secure and correctly aligned before using the firearm.

### Usage Tips

- Always adhere to safe firearm handling practices.
- Use the firearm only in designated areas and in compliance with local laws and regulations.
- If you experience any issues during use, cease operation immediately and inspect the bases and firearm.

## Disposal Instructions

- Dispose of the product responsibly in accordance with local regulations.
- Do not dispose of the product in regular household waste.
- Check with local waste management authorities for proper disposal methods.

## **Contact Information for Further Support**

For any inquiries related to the product, please refer to the manufacturer's website or customer service for assistance.

By following these safety instructions, you can ensure a safe and effective experience with your GRAND SLAM BASES S35 GRAND SLAM BASE. Thank you for your attention to safety.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)