

GRAND SLAM BASES - S36 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooey - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin - MR-7, F/extension. S402: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Musgrave - Mark I, Mark II. S54: Rear; S402: Front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears - 53, F/extension. S402: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. Winchester - 670, 770, F/extension. S402: Front. S45 Base fits CIL - 972-C. S45: Rear; S46: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57. S45: Rear; S46: Front. Colt - 57 F/extension. S45: Rear; S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. Herter's - J-9 FN action, F/extension. S45: Rear; S402: Front. Knight - LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser - 455. S45: Rear; S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - Viscount. S45: Rear. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Springfield - 03-A3. S45: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschutz - 1568. S61: Rear; S46: Front. Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 972-C. S45: Rear; S46: Front. Colt - 57. S45: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. High Standard - Hi-Power. S55: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Mauser - 455. S45: Rear; S46: Front. Mauser - Bauer 3000, 4000. S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Navy Arms - Country Boy. S46: Front & Rear. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Sears - 51L. S55: Rear; S46: Front. Sears - 53. S47: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Stevens - 110E. S61: Rear; S46: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester - 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester - E2 Hole spacing same. S46: Front & Rear/ Winchester - 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning - A-Bolt after 1996. S47: Rear. Browning - A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning - BBR long & short action. S47: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Ruger - 44 mag Deer Stalker, 96/44. S47: Rear. Sears - 53. S47: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester - 70 LA, Magnum rifles. S54 Base fits Browning - BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt - Coltsman LA round receiver. S54: Front & Rear. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Springfield - '03. S54: Rear; S55: Front. S55 Base fits High Standard - Hi-Power. S55: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Mauser - Mark X. S55: Rear. Mossberg - 680, 695, 800. S55: Front & Rear. Sears - 51L. S55: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Springfield - '03. S54: Rear; S55: Front. Westernfield - 770, 775, 780. S55: Front & Rear. S61 Base fits Anschutz - 1568. S61: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. Ithaca - LSA-55, LSA-65. S61: Front & Rear. Knight - MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako - Whitetail Hunter. S61: Front & Rear. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen - Flat Top Receiver. S61: Front & Rear. Stevens - 110E. S61: Rear; S46: Front. Tikka - Flat Receiver. S61: Front & Rear.

Attributes

- Name: [S36 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000024
- Mfr. No.: 48225
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: BSA,Churchill,Enfield,Herters,Howa,Mossberg,Raptor Arms,Remington,Smith & Wesson,Weatherby
- Material: Steel
- Model: 1500,1550,1600,1700,40-XL,700,700 ML,721,725,78,Highlander,Mark V,Monarch,Remington 700 Long Action Style,Remington 721 Style,U-9,Vanguard,798
- Model Number: S36
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.068kg
- Shipping height: 8mm
- Shipping width: 84mm
- Shipping length: 231mm
- UPC: 076683482259

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for GRAND SLAM BASES S36 GRAND SLAM BASE
- About Us

Safety Instruction Guide for GRAND SLAM BASES S36 GRAND SLAM BASE

Introduction

Thank you for choosing the GRAND SLAM BASES S36 GRAND SLAM BASE. This guide provides essential safety instructions to ensure the safe use and installation of the product. By following these guidelines, you can minimize risks and enhance your experience.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Do not attempt to modify or repair the product yourself.
- Always follow the manufacturer's instructions for installation and use.
- In case of any malfunction or damage, stop using the product immediately and seek assistance.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or removing the bases.
- Use appropriate tools for installation to avoid damaging the product or your firearm.
- Ensure that the bases are securely mounted before using the firearm.
- Avoid using the bases in extreme weather conditions that could affect their performance.
- If you notice any unusual sounds or movements during use, discontinue use and inspect the installation.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including screwdrivers and any specific tools recommended by the manufacturer.
- Ensure that the firearm is completely unloaded and in a safe position.

2. Installation:

- Position the front and rear bases on the firearm as per the manufacturer's guidelines.
- Align the bases with the mounting holes on the firearm.
- Use the provided screws to secure the bases in place. Ensure that they are tightened adequately but avoid overtightening, which may damage the firearm.

3. Usage:

- After installation, check that the bases are secure by gently tugging on them.
- Mount your scope according to the scope manufacturer's instructions.
- Always check the alignment of the scope before firing.

4. PostUse:

- After use, inspect the bases and the firearm for any signs of wear or damage.
- Clean the bases and surrounding area to prevent corrosion and maintain performance.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- If the product is damaged beyond repair, dispose of it responsibly, following local waste disposal regulations.
- Do not dispose of the product in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For any safety inquiries or concerns regarding the GRAND SLAM BASES S36 GRAND SLAM BASE, please refer to the manufacturer's website or contact their customer support for assistance.

Thank you for taking the time to read this safety instruction guide. Your safety is our priority, and we hope you enjoy using your GRAND SLAM BASES S36 GRAND SLAM BASE responsibly.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at