

# GRAND SLAM BASES - S45 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

## Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooey - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin - MR-7, F/extension. S402: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Musgrave - Mark I, Mark II. S54: Rear; S402: Front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears - 53, F/extension. S402: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. Winchester - 670, 770, F/extension. S402: Front. S45 Base fits CIL - 972-C. S45: Rear; S46: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57. S45: Rear; S46: Front. Colt - 57 F/extension. S45: Rear; S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. Herter's - J-9 FN action, F/extension. S45: Rear; S402: Front. Knight - LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser - 455. S45: Rear; S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - model 98 F/extension. S45: Rear; S402: Front. Mauser - Viscount. S45: Rear. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Musgrave - Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Springfield - 03-A3. S45: Front. Voere - 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere - Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschutz - 1568. S61: Rear; S46: Front. Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 972-C. S45: Rear; S46: Front. Colt - 57. S45: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action. S45: Rear; S46: Front. High Standard - Hi-Power. S55: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Mauser - 455. S45: Rear; S46: Front. Mauser - Bauer 3000, 4000. S46: Front. Mauser - FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Navy Arms - Country Boy. S46: Front & Rear. Parker Hale - 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears - 50, 51 FN action. S45: Rear; S46: Front. Sears - 51L. S55: Rear; S46: Front. Sears - 53. S47: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Stevens - 110E. S61: Rear; S46: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester - 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester - E2 Hole spacing same. S46: Front & Rear/ Winchester - 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning - A-Bolt after 1996. S47: Rear. Browning - A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning - BBR long & short action. S47: Rear; S46: Front. Cooey - 71. S47: Rear; S46: Front. Enfield - Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin - MR-7. S47: Rear; S46: Front. Ruger - 44 mag Deer Stalker, 96/44. S47: Rear. Sears - 53. S47: Rear; S46: Front. Winchester - 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester - 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester - 70 LA, Magnum rifles. S54 Base fits Browning - BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt - Coltsman LA round receiver. S54: Front & Rear. H&R - 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R - 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave - Mark I, Mark II. S54: Rear; S46: Front. Musgrave - Mark III, Mark IV. S54: Rear; S46: front. Springfield - '03. S54: Rear; S55: Front. S55 Base fits High Standard - Hi-Power. S55: Rear; S46: Front. Mauser - HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser - 95, 96 F/extension. S55: Rear; S402: Front. Mauser - Mark X. S55: Rear. Mossberg - 680, 695, 800. S55: Front & Rear. Sears - 51L. S55: Rear; S46: Front. Smith & Wesson - Mauser Action. S55: Rear; S46: Front. Springfield - '03. S54: Rear; S55: Front. Westernfield - 770, 775, 780. S55: Front & Rear. S61 Base fits Anschutz - 1568. S61: Rear; S46: Front. CIL - 950, 950C. S61: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. Ithaca - LSA-55, LSA-65. S61: Front & Rear. Knight - MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako - Whitetail Hunter. S61: Front & Rear. Savage - 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage - 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen - Flat Top Receiver. S61: Front & Rear. Stevens - 110E. S61: Rear; S46: Front. Tikka - Flat Receiver. S61: Front & Rear.

## Attributes

- Name: [S45 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000025
- Mfr. No.: 48226
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: CIL,Colt,FN,H&R,Herters,Knight's Manufacturing Company,Knight's Manufacturing Company,Marlin,Mauser,Musgrave,Parker-Hale,Sears,Voere
- Material: Steel
- Model: 1000,1000C,1100,1200,1701,2150,2165,300,301,330,370,455,50,51 FN,57,972C,98,HVA Husqvarna,J-9,Legend,LK-93,Mark III,Mark IV,Mauser,Original Disc,Wolverine,1700
- Model Number: S45
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.023kg
- Shipping height: 18mm
- Shipping width: 48mm
- Shipping length: 15mm
- UPC: 076683482266

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for GRAND SLAM BASES S45 GRAND SLAM BASE
- About Us

# Safety Instruction Guide for GRAND SLAM BASES S45 GRAND SLAM BASE

## Introduction

Thank you for choosing the GRAND SLAM BASES S45 GRAND SLAM BASE. This guide is designed to provide you with essential safety information and instructions to ensure the safe use and installation of this product. Please read this guide carefully before use.

## General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the bases.
- Use the product only as intended and according to the instructions provided.
- Regularly inspect the bases for any signs of wear or damage. Do not use if damaged.
- Keep the product out of reach of children and unauthorized users.
- If you experience any issues with the product, do not attempt to repair it yourself. Seek professional assistance.

## Specific Safety Precautions for Use

- Ensure that the bases are compatible with your specific firearm model before use.
- Use proper tools to install the bases securely to avoid any malfunction during use.
- Avoid overtightening screws as this may damage the bases or the firearm.
- If using the bases with a scope, ensure that the scope is properly mounted and adjusted to avoid accidents.
- Be aware of your surroundings when using the firearm to prevent accidents.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including screwdrivers and any other required equipment.
- Ensure the firearm is unloaded and pointed in a safe direction.

### 2. Installation

- Align the base with the mounting holes on the firearm.
- Insert screws through the base into the mounting holes.
- Tighten the screws securely, but do not overtighten to avoid damage.

### 3. Usage

- Once installed, check that the bases are secure before attaching any scopes or other accessories.
- Regularly check the tightness of the screws during use to ensure safety.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for metal and firearm accessories.
- Do not dispose of the product in household waste. Contact local waste management for proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the GRAND SLAM BASES S45 GRAND SLAM BASE, please refer to the manufacturer's website or customer service for assistance.

## **Conclusion**

Following these safety guidelines and instructions will help ensure the safe and effective use of your GRAND SLAM BASES S45 GRAND SLAM BASE. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells Austria

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.at](http://www.brownells.at)