

GRAND SLAM BASES - S46 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooley - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin – MR-7, F/extension. S402: Front. Mauser – model 98 F/extension. S45: Rear; S402: Front. Mauser – 95, 96 F/extension. S55: Rear; S402: Front. Musgrave – Mark I, Mark II. S54: Rear; S402: Front. Musgrave – Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage – 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears – 53, F/extension. S402: Front. Voere – 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere – Mauser Action R/extension. S45: Rear; S402: Front. Winchester – 670, 770, F/extension. S402: Front. S45 Base fits CIL – 972-C. S45: Rear; S46: Front. CIL – 972-C F/extension. S45: Rear, S402: Front. Colt – 57. S45: Rear; S46: Front. Colt – 57 F/extension. S45: Rear; S402: Front. H&R – 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's – J-9 FN action. S45: Rear; S46: Front. Herter's – J-9 FN action, F/extension. S45: Rear; S402: Front. Knight – LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser – 455. S45: Rear; S46: Front. Mauser – FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser – model 98 F/extension. S45: Rear; S402: Front. Mauser – Viscount. S45: Rear. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Musgrave – Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale – 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears – 50, 51 FN action. S45: Rear; S46: Front. Springfield – 03-A3. S45: Front. Voere – 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere – Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschütz – 1568. S61: Rear; S46: Front. Browning – BBR long & short action. S47: Rear; S46: Front. CIL – 950, 950C. S61: Rear; S46: Front. CIL – 972-C. S45: Rear; S46: Front. Colt – 57. S45: Rear; S46: Front. Cooley – 71. S47: Rear; S46: Front. Enfield – Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R – 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R – 300, 301 long action after 1973. S45: Rear; S46: Front. H&R – 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's – J-9 FN action. S45: Rear; S46: Front. High Standard – Hi-Power. S55: Rear; S46: Front. Marlin – MR-7. S47: Rear; S46: Front. Mauser – 455. S45: Rear; S46: Front. Mauser – Bauer 3000, 4000. S46: Front. Mauser – FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser – HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave – Mark I, Mark II. S54: Rear; S46: Front. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Navy Arms – Country Boy. S46: Front & Rear. Parker Hale – 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage – 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears – 50, 51 FN action. S45: Rear; S46: Front. Sears – 51L. S55: Rear; S46: Front. Sears – 53. S47: Rear; S46: Front. Smith & Wesson – Mauser Action. S55: Rear; S46: Front. Stevens – 110E. S61: Rear; S46: Front. Weatherby – Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester – 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester – 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester – 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester – E2 Hole spacing same. S46: Front & Rear/ Winchester – 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning – A-Bolt after 1996. S47: Rear. Browning – A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning – BBR long & short action. S47: Rear; S46: Front. Cooley – 71. S47: Rear; S46: Front. Enfield – Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin – MR-7. S47: Rear; S46: Front. Ruger – 44 mag Deer Stalker, 96/44. S47: Rear. Sears – 53. S47: Rear; S46: Front. Winchester – 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester – 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester – 70 LA, Magnum rifles. S54 Base fits Browning – BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt – Coltsman LA round receiver. S54: Front & Rear. H&R – 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R – 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave – Mark I, Mark II. S54: Rear; S46: Front. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Springfield – '03. S54: Rear; S55: Front. S55 Base fits High Standard – Hi-Power. S55: Rear; S46: Front. Mauser – HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser – 95, 96 F/extension. S55: Rear; S402: Front. Mauser – Mark X. S55: Rear. Mossberg – 680, 695, 800. S55: Front & Rear. Sears – 51L. S55: Rear; S46: Front. Smith & Wesson – Mauser Action. S55: Rear; S46: Front. Springfield – '03. S54: Rear; S55: Front. Westernfield – 770, 775, 780. S55: Front & Rear. S61 Base fits Anschütz – 1568. S61: Rear; S46: Front. CIL – 950, 950C. S61: Rear; S46: Front. CIL – 950, 950C F/extension. S61: Rear; S402: Front. Ithaca – LSA-55, LSA-65. S61: Front & Rear. Knight – MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako – Whitetail Hunter. S61: Front & Rear. Savage – 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage – 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen – Flat Top Receiver. S61: Front & Rear. Stevens – 110E. S61: Rear; S46: Front. Tikka – Flat Receiver. S61: Front & Rear.

Attributes

- Name: [S46 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000026
- Mfr. No.: 48227
- Action Type: Bolt Action
- Color: Black
- Elevation: 0 MOA
- Make: Anschütz,Browning,CIL,Colt,Cooley,Enfield,FN,H&R,Herters,High Standard,Marlin,Mauser,Musgrave,Navy Arms,Parker-Hale,Savage Arms,Sears,Smith & Wesson,Stevens,Voere,Weatherby,Winchester
- Material: Steel
- Model:
10,1000,1000C,11,110,1100,110E,116,12,1200,1500,1568,1600,1700,1702,2150,2165,300,301,330,370,455,50,51 FN,51L,52,53,57,670,70,71,770,950,96,972C,98,BBR,Country Boy Muzzleloader,Hi-Power,HVA Husqvarna,J-9,Mark I,Mark II,Mark III,Mark IV,Mark V,Mauser,MR-7
- Model Number: S46
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Delivery weight: 0.045kg
- Shipping height: 10mm
- Shipping width: 86mm
- Shipping length: 229mm
- UPC: 076683482273

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GRAND SLAM BASES S46 GRAND SLAM BASE](#)
- [About Us](#)

Safety Instruction Guide for GRAND SLAM BASES

S46 GRAND SLAM BASE

Introduction

Thank you for choosing the GRAND SLAM BASES S46 GRAND SLAM BASE. This guide provides essential safety information to ensure the safe use and installation of your rifle bases. Please read this manual thoroughly before use to understand the safety precautions and proper handling of the product.

General Safety Guidelines

- Always handle your rifle and bases with care to prevent accidents.
- Ensure that the bases are compatible with your specific rifle model before installation.
- Regularly inspect the bases for any signs of wear or damage. Do not use if damaged.
- Store the bases in a dry and safe location when not in use.
- Follow the manufacturer's instructions for mounting and using scopes with the bases.
- Keep the bases out of reach of children and unauthorized users.
- Report any incidents or damages related to the product to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the rifle is unloaded before installing or adjusting the bases.
- Use appropriate tools as specified in the installation instructions to avoid injury.
- Do not exceed the recommended weight limit for scopes mounted on the bases.
- Avoid using the bases in extreme weather conditions that may affect their performance.
- Be cautious when adjusting the scope or rifle to avoid accidental discharge.
- If you are unsure about the installation process, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including screws and a screwdriver.
- Ensure that your rifle is unloaded and in a safe condition.

2. Installation:

- Align the front base (S35) with the mounting holes on the rifle.
- Secure the front base using the screws provided, ensuring it is tightly fastened.
- Repeat the process for the rear base (S36) following the same steps.
- Doublecheck that both bases are securely installed before proceeding.

3. Usage:

- Attach your scope to the bases according to the manufacturer's instructions.
- Adjust the scope as needed for optimal viewing.
- Regularly check the tightness of the screws to ensure stability during use.

4. PostUse Care:

- Clean the bases with a dry cloth after use to prevent corrosion.
- Store the rifle with the bases in a safe location, away from moisture and extreme temperatures.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- When disposing of the bases, ensure they are no longer usable to prevent accidental use by others.
- Check with local waste management services for proper disposal methods for metal products.

Contact Information for Further Support

For any questions or concerns regarding the GRAND SLAM BASES S46 GRAND SLAM BASE, please reach out to your local dealer or manufacturer for assistance. Ensure you have the product details ready for a more efficient response.

By following these guidelines, you can ensure a safe and enjoyable experience with your GRAND SLAM BASES S46 GRAND SLAM BASE. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at