

GRAND SLAM BASES - WEAVER S61 GRAND SLAM BASE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

Solid Steel, Two-Piece Bases For Rifles, Hunting Handguns

High strength, steel bases to fit a wide range of modern and older rifles plus, some long range handguns. Sold each, order front and rear base. Front and rear extension bases provide added flexibility for mounting all types of scopes. S35 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. Churchill - Highlander. S36: Rear; S35: Front. Colt - Sauer. S35: Front & Rear. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. H&R - 317, 322. S35: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Howa - 1500. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725, 700 Short Action, 700ML. S36: Rear; S35: Front. Ruger - 77 Round Top. S35: Front. Sauer - 200. S35: Front & Rear. Shilen - Round Receiver. S35: Front & Rear. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard. S36: Rear, S35: Front. S36 Base fits BSA - Monarch med./long action. S36: Rear; S35: Front. BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander. S36: Rear; S35: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Enfield - Receiver cut down like: Remington 721. S36: Rear; S35: Front. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. Herter's - U-9 round receiver. S36: Rear; S35: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500. S36: Rear; S35: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700. S36: Rear; S35: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action. S36: Rear; S35: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Long Action, 78, 40-XL, 721, 725. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S35: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Smith & Wesson - 1500, 1600, 1700. S36: Rear; S35: Front. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. Weatherby - Mark V, Vanguard F/extension. S36: Rear; S40A: Front. Weatherby - Mark V 22-50, 224, 30-06. S36: Rear; S46 : Front. S40A Base fits BSA - Monarch med./long action, R/ext. S36: Rear; S40A: Front. Churchill - Highlander, R/ext. S36: Rear; S40A: Front. Colt - Sauer F/extension. S40A: Front & Rear. Enfield - Receiver cut down like: Remington 721, R/extension. S36: Rear; S40A: Front. H&R - 317, 322, R/extension. S40A: Front. Herter's - U-9 round receiver, R/extension. S36: Rear; S40A: Front. Howa - 1500, F/extension. S36: Rear; S40A: Front. Mossberg - 1500, 1550, 1700, R/extension. S36: Rear; S40A: Front. Raptor Arms - 700 Action F/extension. S36: Rear; S40A: Front. Remington - 700 Short Action, 700ML. S36: Rear; S40A: Front. Sauer - 200, F/R/extension. S40A: Front & Rear. Shilen - Round Receiver, F/R/extension. S40A: Front & Rear. Smith & Wesson - 1500, 1600, 1700, R/extension. S36: Rear; S40A: Front. Weatherby - Mark V, Vanguard. S36: Rear; S35: Front. S402 Base fits Browning - BBR long & short action. S47: Rear; S46: Front. CIL - 950, 950C F/extension. S61: Rear; S402: Front. CIL - 972-C F/extension. S45: Rear, S402: Front. Colt - 57 F/extension. S45: Rear; S402: Front. Cooley - 71 F/extension. S402: Front. Enfield - Receiver cut down like: Winchester 70, F/extension. S402: Front. H&R - 300, 301 long action pre-1973. S45: Rear; S402: Front. H&R - 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's - J-9 FN action, F/extension. S45: Rear;



S402: Front. Marlin – MR-7, F/extension. S402: Front. Mauser – model 98 F/extension. S45: Rear; S402: Front. Mauser – 95, 96 F/extension. S55: Rear; S402: Front. Musgrave – Mark I, Mark II. S54: Rear; S402: Front. Musgrave – Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Savage – 10 & 110 Series F/extension. S61: Rear; S402: Front. Sears – 53, F/extension. S402: Front. Voere – 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere – Mauser Action R/extension. S45: Rear; S402: Front. Winchester – 670, 770, F/extension. S402: Front. S45 Base fits CIL – 972-C. S45: Rear; S46: Front. CIL – 972-C F/extension. S45: Rear, S402: Front. Colt – 57. S45: Rear; S46: Front. Colt – 57 F/extension. S45: Rear; S402: Front. H&R – 300, 301 long action pre-1973. S45: Rear; S402: Front. Herter's – J-9 FN action. S45: Rear; S46: Front. Herter's – J-9 FN action, F/extension. S45: Rear; S402: Front. Knight – LK-93, Wolverine, Legend, Disc. S45: Front & Rear. Mauser – 455. S45: Rear; S46: Front. Mauser – FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser – model 98 F/extension. S45: Rear; S402: Front. Mauser – Viscount. S45: Rear. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Musgrave – Mark III, Mark IV, F/extension. S45: Rear; S402: Front. Parker Hale – 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Sears – 50, 51 FN action. S45: Rear; S46: Front. Springfield – 03-A3. S45: Front. Voere – 2150, 2165, Mauser Action. S45: Rear; S402: Front. Voere – Mauser Action R/extension. S45: Rear; S402: Front. S46 Base fits Anschütz – 1568. S61: Rear; S46: Front. Browning – BBR long & short action. S47: Rear; S46: Front. CIL – 950, 950C. S61: Rear; S46: Front. CIL – 972-C. S45: Rear; S46: Front. Colt – 57. S45: Rear; S46: Front. Cooley – 71. S47: Rear; S46: Front. Enfield – Receiver cut down like: Winchester 70. S47: Rear; S46: Front. H&R – 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R – 300, 301 long action after 1973. S45: Rear; S46: Front. H&R – 300, 301 long action post 1973. S46: Rear; S402: Front. Herter's – J-9 FN action. S45: Rear; S46: Front. High Standard – Hi-Power. S55: Rear; S46: Front. Marlin – MR-7. S47: Rear; S46: Front. Mauser – 455. S45: Rear; S46: Front. Mauser – Bauer 3000, 4000. S46: Front. Mauser – FN, HVA, model 95, 98 large ring. S45: Rear; S46: Front. Mauser – HVA, Swedish 96 small ring. S55: Rear; S46: Front. Musgrave – Mark I, Mark II. S54: Rear; S46: Front. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Navy Arms – Country Boy. S46: Front & Rear. Parker Hale – 1000, 1000C, 1100, 1200, 1700. S45: Rear; S46: Front. Savage – 110, 116, 10, 11, 12. S61: Rear; S46: Front. Sears – 50, 51 FN action. S45: Rear; S46: Front. Sears – 51L. S55: Rear; S46: Front. Sears – 53. S47: Rear; S46: Front. Smith & Wesson – Mauser Action. S55: Rear; S46: Front. Stevens – 110E. S61: Rear; S46: Front. Weatherby – Mark V 22-50, 224, 30-06. S36: Rear; S46: Front. Winchester – 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester – 70 Long & Short Action, H&H mags above #1,896,476, F/extension. S46: Front. Winchester – 70 Target, H&H mags above #1,896,476. S49A: Rear; S46: Front. Winchester – E2 Hole spacing same. S46: Front & Rear/ Winchester – 670, 770. S47: Rear; S46: Front. S466 Base fits Marlin - 9, 36, 46, 62, 93, 336, 375, 444, 1893, 1894, 1895, Camp Carbine, 922M, 989, Glenfield 30. S466: Front & Rear. S47 Base fits Browning – A-Bolt after 1996. S47: Rear. Browning – A-Bolt, A-bolt 22 before 1996. S47: Front & Rear. Browning – BBR long & short action. S47: Rear; S46: Front. Cooley – 71. S47: Rear; S46: Front. Enfield – Receiver cut down like: Winchester 70. S47: Rear; S46: Front. Marlin – MR-7. S47: Rear; S46: Front. Ruger – 44 mag Deer Stalker, 96/44. S47: Rear. Sears – 53. S47: Rear; S46: Front. Winchester – 70 Long & Short action, H&H mags above #1,896,476. S47: Rear; S46: Front. Winchester – 670, 770. S47: Rear; S46: Front. S49A Base fits Winchester – 70 LA, Magnum rifles. S54 Base fits Browning – BAR, BAR II, Mark II, semi-auto. S54: Front & Rear. Colt – Coltsman LA round receiver. S54: Front & Rear. H&R – 300, 301, 330, 370 before 1973. S45: Rear; S46: Front. H&R – 300, 301 long action after 1973. S45: Rear; S46:

Front. Musgrave – Mark I, Mark II. S54: Rear; S46: Front. Musgrave – Mark III, Mark IV. S54: Rear; S46: front. Springfield – '03. S54: Rear; S55: Front. S55 Base fits High Standard – Hi-Power. S55: Rear; S46: Front. Mauser – HVA, Swedish 96 small ring. S55: Rear; S46: Front. . Mauser – 95, 96 F/extension. S55: Rear; S402: Front. Mauser – Mark X. S55: Rear. Mossberg – 680, 695, 800. S55: Front & Rear. Sears – 51L. S55: Rear; S46: Front. Smith & Wesson – Mauser Action. S55: Rear; S46: Front. Springfield – '03. S54: Rear; S55: Front. Westernfield – 770, 775, 780. S55: Front & Rear. S61 Base fits Anschütz – 1568. S61: Rear; S46: Front. CIL – 950, 950C. S61: Rear; S46: Front. CIL – 950, 950C F/extension. S61: Rear; S402: Front. Ithaca – LSA-55, LSA-65. S61: Front & Rear. Knight – MK 85, BK-92, T-Bolt. S61: Front & Rear. Sako – Whitetail Hunter. S61: Front & Rear. Savage – 110, 116, 10, 11, 12. S61: Rear; S46: Front. Savage – 10 & 110 Series F/extension. S61: Rear; S402: Front. Shilen – Flat Top Receiver. S61: Front & Rear. Stevens – 110E. S61: Rear; S46: Front. Tikka – Flat Receiver. S61: Front & Rear.

Attributes

- Name: [WEAVER S61 GRAND SLAM BASE](#)
- Manufacturer: [WEAVER](#)
- Product no.: 955000033
- Mfr. No.: 48234
- Action Type: Bolt Action
- Colour: Black
- Elevation: 0 MOA
- Material: Steel
- Model: 10,11,110,110E,116,12,1568,950,BK-92,LSA-55,LSA-65,MK 85,T-Bolt,Universal Rifles,Whitetail Hunter,Universal,Sako
- Model Number: S61
- Number of Bases: 1-Piece
- Style: Weaver-Style Bases
- Weapon type: Anschütz,CIL,Ithaca,Knight's Manufacturing Company,Sako,Savage Arms,Stevens,Tikka,Beretta
- Delivery weight: 0.045kg
- Shipping height: 13mm
- Shipping width: 33mm
- Shipping length: 61mm
- UPC: 076683482341

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for GRAND SLAM BASES WEAVER S61 GRAND SLAM BASE](#)
- [About Us](#)

Safety Instruction Guide for GRAND SLAM BASES WEAVER S61 GRAND SLAM BASE

Introduction

Thank you for choosing the GRAND SLAM BASES WEAVER S61 GRAND SLAM BASE. This guide provides essential safety instructions to ensure the safe use and installation of this product. Please read this document carefully before using the product to understand the potential hazards and how to mitigate them.

General Safety Guidelines

To ensure safe usage of the GRAND SLAM BASES WEAVER S61, please adhere to the following guidelines:

- Always follow the manufacturer's instructions and recommendations.
- Inspect the product for any damage before use. Do not use if damaged.
- Ensure that the bases are compatible with your specific rifle or handgun model.
- Use only the recommended screws and mounting tools provided with the product.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for wear and tear and replace any worn components as necessary.
- Do not exceed the weight limits specified for the bases.
- Ensure a secure fit during installation to prevent accidental dislodgment during use.

Specific Safety Precautions for Use

When using the GRAND SLAM BASES WEAVER S61, please observe the following safety precautions:

- Always wear protective eyewear when installing or adjusting the bases.
- Avoid using the product in extreme weather conditions that may affect its performance.
- Do not modify the bases or use them for unintended purposes.
- Ensure that the firearm is unloaded before attaching or detaching the bases.
- Be aware of your surroundings and ensure a safe shooting environment.
- Avoid pointing the firearm at yourself or others during installation and adjustment.
- If you experience any issues during installation or use, cease usage immediately and seek assistance.

Instructions for Installation and Usage

Follow these steps to properly install and use the GRAND SLAM BASES WEAVER S61:

1. Preparation:

- Gather all necessary tools, including a screwdriver and any additional mounting hardware.
- Ensure the firearm is unloaded and pointed in a safe direction.

2. Installation:

- Align the base with the mounting holes on your rifle or handgun.
- Insert the provided screws through the base and into the mounting holes.
- Tighten the screws securely, ensuring the base is firmly attached. Avoid overtightening, which may damage the base or firearm.

3. Adjustment:

- If using extension bases, follow the same installation procedure for each extension.
- Ensure that all bases are level and securely fastened before use.

4. Usage:

- Once installed, attach your scope according to the scope manufacturer's instructions.
- Regularly check the tightness of the bases and scope during use.

Disposal Instructions

When the GRAND SLAM BASES WEAVER S61 has reached the end of its life cycle, please dispose of it responsibly:

- Follow local regulations for the disposal of metal products.
- Remove any nonmetal components and recycle them according to local guidelines.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For safety inquiries or concerns regarding the GRAND SLAM BASES WEAVER S61, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website.

Conclusion

By following this safety instruction guide, you can ensure the safe use and installation of the GRAND SLAM BASES WEAVER S61 GRAND SLAM BASE. Always prioritize safety and seek assistance if you have any questions or concerns. Thank you for choosing our product, and we wish you safe and enjoyable shooting experiences.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk